

Algorithms: Heart of Computer Science

- **Algorithm:** A step-by-step procedure for how to do something (usually a calculation).
- **Implementation:** How to write an algorithm in a specific programming language
- Good programmers know how to separate the two
 - Work out algorithm on paper or in head
 - Once done, implement it in the language
 - Limits errors to **syntax errors** (easy to find), not **conceptual errors** (much, much harder to find)
- Key to designing algorithms: **stepwise refinement**

9/18/12

Algorithm Design

1

Stepwise Refinement: Basic Principles

- **Write Specifications First**
Write a method specification before writing its body
- **Take Small Steps**
Do a little at a time; follow the **Mañana Principle**
- **Run as Often as You Can**
This can catch syntax errors
- **Separate Concerns**
Focus on one step at a time
- **Intersperse Programming and Testing**
When you finish a step, test it immediately

9/18/12

Algorithm Design

2

Mañana Principle

- If not in current step, delay to “tomorrow”
 - Use **comments** to write steps in English
 - Add “**stubs**” to allow you to run program often
 - Slowly replace stubs/comments with real code
- Only create new local variables if you have to
- Sometimes results in creation of more functions
 - Replace the step with a function call
 - But leave the **function definition** empty for now
 - This is called **top-down design**

9/18/12

Algorithm Design

3

Function Stubs

Procedure Stubs

- Single statement: **pass**
 - Body cannot be empty
 - This command does nothing
- **Example:**

```
def foo():  
    pass
```

Fruitful Stubs

- Single return statement
 - Type should match spec.
 - Return a “default value”
- **Example:**

```
def first_four_letters(s):  
    return '' # empty string
```

Purpose of Stubs

Create a program that may not be correct, but does not crash.

9/18/12

Algorithm Design

4

Example: Reordering a String

- `last_name_first('Walker White')` is 'White, Walker'

```
def last_name_first(s):  
    """Returns: copy of s in form <last-name>, <first-name>  
  
    Precondition: s is in the form <first-name> <last-name>  
    with one blank between the two names"""  
    # Find the first name  
    # Find the last name  
    # Put them together with a comma  
    return '' # Currently a stub
```

9/18/12

Algorithm Design

5

Example: Reordering a String

- `last_name_first('Walker White')` is 'White, Walker'

```
def last_name_first(s):  
    """Returns: copy of s in form <last-name>, <first-name>  
  
    Precondition: s is in the form <first-name> <last-name>  
    with one blank between the two names"""  
    end_first = s.find(' ')  
    first_name = s[:end_first]  
    # Find the last name  
    # Put them together with a comma  
    return first_name # Still a stub
```

9/18/12

Algorithm Design

6

Refinement: Creating Helper Methods

```
def last_name_first(s):
    """Returns: copy of s in the form
    <last-name>, <first-name>
    Precondition: s is in the form
    <first-name> <last-name> with
    with one blank between names"""
    first = first_name(s)
    # Find the last name
    # Put together with comma
    return first # Stub
```

```
def first_name(s):
    """Returns: first name in s
    Precondition: s is in the form
    <first-name> <last-name> with
    one blank between names"""
    end = s.find(' ')
    return s[:end]
```

Do This Sparingly

- If you might use this step in another method later
- If implementation is rather long and complicated

9/18/12

Example: Reordering a String

- last_name_first('Walker White') is 'White, Walker'

```
def last_name_first(s):
    """Returns: copy of s in form <last-name>, <first-name>
    Precondition: s is in the form <first-name> <last-name>
    with one or more blanks between the two names"""
    # Find the first name
    # Find the last name
    # Put them together with a comma
    return ' ' # Currently a stub
```

9/18/12

Alogrithm Design

8

Exercise: Anglicizing an Integer

- anglicize(1) is "one"
- anglicize(15) is "fifteen"
- anglicize(123) is "one hundred twenty three"
- anglicize(10570) is "ten thousand five hundred"

```
def anglicize(n):
    """Returns: the anglicization of int n.
    Precondition: 0 < n < 1,000,000"""
    pass # ???
```

9/18/12

Alogrithm Design

9

Exercise: Anglicizing an Integer

```
def anglicize(n):
    """Returns: the anglicization of int n.
    Precondition: 0 < n < 1,000,000"""
    # if < 1000, provide an answer

    # if > 1000, break into hundreds, thousands parts
    # use the < 1000 answer for each part, and glue
    # together with "thousands" in between
    return " " # empty string
```

9/18/12

Alogrithm Design

10

Exercise: Anglicizing an Integer

```
def anglicize(n):
    """Returns: the anglicization of int n.
    Precondition: 0 < n < 1,000,000"""
    if n < 1000: # no thousands place
        return anglicize1000(n)
    if n % 1000 == 0: # no hundreds, only thousands
        return anglicize1000(n/1000) + 'thousand'
    else: # mix the two
        return (anglicize1000(n/1000) + 'thousand' +
                anglicize1000(n))
```

9/18/12

Alogrithm Design

11

Exercise: Anglicizing an Integer

```
def anglicize(n):
    """Returns: the anglicization of int n.
    Precondition: 0 < n < 1,000,000"""
    if n < 1000: # no thousands place
        return anglicize1000(n)
    if n % 1000 == 0: # no hundreds, only thousands
        return anglicize1000(n/1000) + 'thousand'
    else: # mix the two
        return (anglicize1000(n/1000) + 'thousand' +
                anglicize1000(n))
```

9/18/12

Alogrithm Design

12

Now implement this.
See anglicize.py