

CS 1110 Fall 2015: Walker White

- **Outcomes:**
 - **Fluency** in (Python) procedural programming
 - Usage of assignments, conditionals, and loops
 - Ability to design Python modules and programs
 - **Competency** in object-oriented programming
 - Ability to write programs using objects and classes.
 - **Knowledge** of searching and sorting algorithms
 - Knowledge of basics of vector computation
- **Website:**
 - www.cs.cornell.edu/courses/cs1110/2016fa/

Class Structure

- **Lectures.** Every Tuesday/Thursday
 - Not just slides; interactive demos almost every lecture
 - Because of enrollment, please stay with your section
 - **Semi-Mandatory.** 1% Participation grade from iClickers
- **Section/labs.** ACCEL Lab, Carpenter 2nd floor
 - The “overflow sections” are in **Phillips 318**
 - Guided exercises with TAs and consultants helping out
 - Tuesday: 12:20, 1:25, 2:30, 3:35
 - Wednesday: 10:10, 11:15, 12:20, 1:25, 2:30, 3:35, 7:20
 - Contact Amy (ahf42@cornell.edu) for section conflicts
 - **Mandatory.** Missing more than 2 lowers your final grade

Class Materials

- **Textbook.** *Think Python* by Allen Downey
 - *Supplemental* text; does not replace lecture
 - Book available for free as PDF or eBook
 - Hardbound copies for sale in Campus Store
- **iClicker.** Acquire one by **Thursday**
 - Will periodically ask questions during lecture
 - Will get credit for answering – even if wrong
 - iClicker App for smartphone **is not** acceptable
- **Python.** Necessary if you want to use own computer
 - See course website for how to install the software



Things to Do Before Next Class

1. Register your iClicker
 - Does not count for grade if not registered
 2. Enroll in Piazza
 3. Sign into CMS
 - Complete the Quiz
 - Complete Survey 0
 4. Read the textbook
 - Chapter 1 (browse)
 - Chapter 2 (in detail)
- Everything is on website!
 - Piazza instructions
 - Class announcements
 - Consultant calendar
 - Reading schedule
 - Lecture slides
 - Exam dates
 - Check it regularly:
 - www.cs.cornell.edu/courses/cs1110/2016fa/

Getting Started with Python

- Designed to be used from the “command line”
 - OS X/Linux: **Terminal**
 - Windows: **Command Prompt**
 - Purpose of the first lab
- Once installed type “python”
 - Starts an *interactive shell*
 - Type commands at >>>
 - Shell responds to commands
- Can use it like a calculator
 - Use to evaluate *expressions*

```
Last login: Tue Aug 19 14:36:29 on t
[wmwhite@Ryleh]:~ > python
Python 2.7.5 (default, Mar  9 2014,
[GCC 4.2.1 Compatible Apple LLVM 5.0
Type "help", "copyright", "credits"
>>> 1+2
3
>>> 'Hello'+'World'
'HelloWorld'
>>> |
```

This class uses Python 2.7.x

- Python 3 has many “issues”
- Minimal software support

Python and Expressions

- An **expression represents** something
 - Python *evaluates it* (turns it into a value)
 - Similar to what a calculator does
- Examples:
 - 2.3 Literal (evaluates to self)
 - $(3 * 7 + 2) * 0.1$ An expression with four literals and some operators

Type: Set of values and the operations on them

- Type **int** represents **integers**
 - **values:** ..., -3, -2, -1, 0, 1, 2, 3, 4, 5, ...
 - Integer literals look like this: 1, 46, 43028030 (no commas or periods)
 - **operations:** +, -, *, /, **, unary -
 - multiply
 - to power of
- **Principle:** operations on **int** values must yield an **int**
 - **Example:** 1 / 2 rounds result down to 0
 - Companion operation: % (remainder)
 - 7 % 3 evaluates to 1, remainder when dividing 7 by 3
 - Operator / is not an **int** operation in Python 3 (use // instead)

Type: Set of values and the operations on them

- Type **float** (floating point) represents **real numbers**
 - **values:** distinguished from integers by decimal points
 - In Python a number with a "." is a **float literal** (e.g. 2.0)
 - Without a decimal a number is an **int literal** (e.g. 2)
 - **operations:** +, -, *, /, **, unary -
 - The meaning for floats differs from that for ints
 - **Example:** 1.0/2.0 evaluates to 0.5
 - **Exponent notation** is useful for large (or small) values
 - -22.51e6 is $-22.51 * 10^6$ or -22510000
 - 22.51e-6 is $22.51 * 10^{-6}$ or 0.00002251

A second kind of float literal

Floats Have Finite Precision

- Python stores floats as **binary fractions**
 - Integer mantissa times a power of 2
 - Example: 1.25 is $5 * 2^{-2}$
 - mantissa
 - exponent
- Impossible to write most real numbers this way exactly
 - Similar to problem of writing 1/3 with decimals
 - Python chooses the closest binary fraction it can
- This approximation results in **representation error**
 - When combined in expressions, the error can get worse
 - **Example:** type 0.1 + 0.2 at the prompt >>>

Type: Set of values and the operations on them

- Type **boolean** or **bool** represents **logical statements**
 - **values:** **True, False**
 - Boolean literals are just True and False (have to be capitalized)
 - **operations:** not, and, or
 - not b: **True** if b is false and **False** if b is true
 - b and c: **True** if both b and c are true; **False** otherwise
 - b or c: **True** if b is true or c is true; **False** otherwise
- Often come from comparing **int** or **float** values
 - Order comparison: $i < j$ $i \leq j$ $i \geq j$ $i > j$
 - Equality, inequality: $i = j$ $i != j$
 - "=" means something else!

Type: Set of values and the operations on them

- Type **String** or **str** represents **text**
 - **values:** any sequence of characters
 - **operation(s):** + (catenation, or concatenation)
- **String literal:** sequence of characters in quotes
 - Double quotes: "abcxyz\$g<&" or "Hello World!"
 - Single quotes: 'Hello World!'
- Concatenation can only apply to strings.
 - 'ab' + 'cd' evaluates to 'abcd'
 - 'ab' + 2 produces an **error**

Converting Values Between Types

- Basic form: `type(value)`
 - `float(2)` converts value 2 to type **float** (value now 2.0)
 - `int(2.6)` converts value 2.6 to type **int** (value now 2)
 - Explicit conversion is also called "casting"
- Narrow to wide: **bool** \Rightarrow **int** \Rightarrow **float**
 - **Widening.** Python does automatically if needed
 - **Example:** 1/2.0 evaluates to 0.5 (casts 1 to float)
 - **Narrowing.** Python *never* does this automatically
 - Narrowing conversions cause information to be lost
 - **Example:** `float(int(2.6))` evaluates to 2.0