

Lecture 18

# Classes

# Announcements for This Lecture

---

## Assignments

---

- **A4 Wednesday** at midnight
  - Hopefully you are on Task 4
  - That and task 5 are hardest
- Will post **A5** on Friday
  - Written assignment like A2
  - Needs material from next Tues
- Will post **A6** on Monday.
  - Not due until November 14
  - But is relevant for **prelim 2!**

## Optional Videos

---

- **Videos 20.1-20.8** today
- **Videos 20.9-20.10** next time
- Also **Lesson 21** next time


## Exams

---

- Last week for regrades
  - Limit them to valid issues
- We will do them *eventually*



# Recall: Objects as Data in Folders

- An object is like a **manila folder**
- It contains other variables
  - Variables are called **attributes**
  - Can change values of an attribute (with assignment statements)
- It has a “tab” that identifies it
  - Unique number assigned by Python
  - Fixed for lifetime of the object




# Recall: Classes are Types for Objects

- Values must have a type
  - An **object** is a **value**
  - A **class** is its **type**
- Classes are how we add new types to Python



# Recall: Classes are Types for Objects


- Values must have a type
  - An **object** is a **value**
  - A **class** is its **type**
- Classes are how we add new types to Python



# Classes Have Folders Too


## Object Folders

- Separate for each *instance*



## Class Folders

- Data common to all instances



# The Class Definition

Goes inside a module, just like a function definition.

**class** *<class-name>*(object):

"""Class specification"""

*<function definitions>*

*<assignment statements>*

*<any other statements also allowed>*

```
class Example(object):  
    """The simplest possible class."""  
    pass
```

**Example**

# The Class Definition

Goes inside a module, just like a function definition.

keyword **class**  
Beginning of a class definition

**class** <class-name>(object):

Do not forget the colon!

Specification  
(similar to one for a function)

**"""Class specification"""**

more on this later

<function definitions>

to define **methods**

<assignment statements>

...but not often used

to define **attributes**

<any other statements also allowed>

```
class Example(object):  
    """The simplest possible class."""  
    pass
```

## Example


Python creates after reading the class definition



# Recall: Constructors


- Function to create new instances
  - Function name == class name
  - Created for you automatically
- Calling the constructor:
  - Makes a new object folder
  - Initializes attributes
  - Returns the id of the folder
- By default, takes no arguments
  - `e = Example()`

Will come back to this





# Instances and Attributes

- Assignments add object attributes
  - `<object>.<att> = <expression>`
  - **Example:** `e.b = 42`
- Assignments can add class attributes
  - `<class>.<att> = <expression>`
  - **Example:** `Example.a = 29`
- Objects can access class attributes
  - **Example:** `print(e.a)`
  - But assigning it creates object attribute
  - **Example:** `e.a = 10`
- **Rule:** check object first, then class




# Instances and Attributes

- Assignments add object attributes
  - `<object>.<att> = <expression>`
  - **Example:** `e.b = 42` 
- Assignments can add class attributes
  - `<class>.<att> = <expression>`
  - **Example:** `Example.a = 29`
- Objects can access class attributes
  - **Example:** `print(e.a)`
  - But assigning it creates object attribute
  - **Example:** `e.a = 10`
- **Rule:** check object first, then class



# Instances and Attributes

- Assignments add object attributes
  - `<object>.<att> = <expression>`
  - **Example:** `e.b = 42`
- Assignments can add class attributes
  - `<class>.<att> = <expression>`
  - **Example:** `Example.a = 29`
- Objects can access class attributes
  - **Example:** `print(e.a)`
  - But assigning it creates object attribute
  - **Example:** `e.a = 10`
- **Rule:** check object first, then class



# Invariants

---

- Properties of an attribute that must be true
- Works like a precondition:
  - If invariant satisfied, object works properly
  - If not satisfied, object is “corrupted”
- **Examples:**
  - **Point3** class: all attributes must be floats
  - **RGB** class: all attributes must be ints in 0..255
- Purpose of the **class specification**

# The Class Specification

---

```
class Worker(object):
```

```
    """A class representing a worker in a certain organization
```

```
    Instance has basic worker info, but no salary information.
```

```
    Attribute lname: The worker last name
```

```
    Invariant: lname is a string
```

```
    Attribute ssn: The Social Security number
```

```
    Invariant: ssn is an int in the range 0..999999999
```

```
    Attribute boss: The worker's boss
```

```
    Invariant: boss is an instace of Worker, or None if no boss"""
```

# The Class Specification

```
class Worker(object):
```

```
    """A class representing a worker in a certain organization
```

Short  
summary

```
    Instance has basic worker info, but no salary information.
```

More  
detail

```
    Attribute lname: The worker last name
```

Description

```
    Invariant: lname is a string
```

Invariant

```
    Attribute ssn: The Social Security number
```

```
    Invariant: ssn is an int in the range 0..999999999
```

```
    Attribute boss: The worker's boss
```

```
    Invariant: boss is an instace of Worker, or None if no boss"""
```

# The Class Specification

---

```
class Worker(object):
```

```
    """A class representing a worker in a certain organization
```

```
    Instance has basic worker info. but no salary information.
```

```
    Attribute
```

```
    Invariant
```

**Warning: New format since 2019.  
Old exams will be very different.**

```
    Attribute ssn: The Social Security number
```

```
    Invariant: ssn is an int in the range 0..999999999
```

```
    Attribute boss: The worker's boss
```

```
    Invariant: boss is an instace of Worker, or None if no boss"""
```



# Recall: Objects can have Methods

---


- Object before the name is an *implicit* argument

- **Example:** distance


```
>>> p = Point3(0,0,0)    # First point
>>> q = Point3(1,0,0)    # Second point
>>> r = Point3(0,0,1)    # Third point
>>> p.distance(r)        # Distance between p, r
1.0
>>> q.distance(r)        # Distance between q, r
1.4142135623730951
```

# Method Definitions

- Looks like a function `def`
  - Indented *inside* class
  - First param is always `self`
  - But otherwise the same
- In a **method call**:
  - One less argument in ()
  - Obj in front goes to `self`
- **Example**: `a.distance(b)`



self




q

```
1. class Point3(object):
2.     """Class for points in 3d space
3.     Invariant: x is a float
4.     Invariant y is a float
5.     Invariant z is a float     """
6.     def distance(self,q):
7.         """Returns dist from self to q
8.         Precondition: q a Point3"""
9.         assert type(q) == Point3
10.        sqrdst = ((self.x-q.x)**2 +
11.                (self.y-q.y)**2 +
12.                (self.z-q.z)**2)
13.        return math.sqrt(sqrdst)
```

# Methods Calls


- **Example:** a.distance(b)



1. `class Point3(object):`
2.  `"""Class for points in 3d space`
3.  `Invariant: x is a float`
4.  `Invariant y is a float`
5.  `Invariant z is a float """`
6.  `def distance(self,q):`
7.  `"""Returns dist from self to q`
8.  `Precondition: q a Point3"""`
9.  `assert type(q) == Point3`
10.  `sqrdst = ((self.x-q.x)**2 +`
11.  `(self.y-q.y)**2 +`
12.  `(self.z-q.z)**2)`
13.  `return math.sqrt(sqrdst)`

# Methods Calls

- **Example:** a.distance(b)




1. `class Point3(object):`
2.  `"""Class for points in 3d space`
3.  `Invariant: x is a float`
4.  `Invariant y is a float`
5.  `Invariant z is a float """`
6.  `def distance(self,q):`
7.  `"""Returns dist from self to q`
8.  `Precondition: q a Point3"""`
9.  `assert type(q) == Point3`
10.  `sqrdst = ((self.x-q.x)**2 +`
11.  `(self.y-q.y)**2 +`
12.  `(self.z-q.z)**2)`
13.  `return math.sqrt(sqrdst)`

# Methods and Folders

- Function definitions...
  - make a folder in heap
  - assign name as variable
  - variable in global space
- Methods are similar...
  - Variable in **class folder**
  - But otherwise the same
- **Rule of this course**
  - Put header in class folder
  - Nothing else!

```
1. class Point3(object):
2.     """Class for points in 3d space
3.     Invariant: x is a float
4.     Invariant y is a float
5.     Invariant z is a float     """
6.     def distance(self,q):
    ....
```



# Methods and Folders

Visualize

Execute Code

Edit Code

Heap primitives  Use arrows

```
→ 1 class Point3(object):
2     """Class for points in 3d space
3     Invariant: x is a float
4     Invariant y is a float
5     Invariant z is a float     """
6     def distance(self,q):
7         """Returns: dist from self to q
8         Precondition: q a Point3"""
9         assert type(q) == Point3
10        sqrdst = ((self.x-q.x)**2 +
11                (self.y-q.y)**2 +
12                (self.z-q.z)**2)
13        return math.sqrt(sqrdst)
```

Globals

```
global
Point3 | id1
```

Frames

Objects

```
id1:Point3 class
hide attributes
distance | id2:function
distance(self, q)
```

Just this

<< First < Back Program terminated Forward > Last >>

→ line that has just executed

→ next line to execute

# Initializing the Attributes of an Object (Folder)

---


- Creating a new Worker is a multi-step process:
  - `w = Worker()` ← Instance is empty
  - `w.lname = 'White'`
  - ...
- Want to use something like
  - `w = Worker('White', 1234, None)`
  - Create a new Worker **and** assign attributes
  - lname to 'White', ssn to 1234, and boss to None
- Need a **custom constructor**

# Special Method: `__init__`

```
w = Worker('White', 1234, None)
```

```
def __init__(self, n, s, b):  
    """Initializes a Worker object  
  
    Has last name n, SSN s, and boss b  
  
    Precondition: n a string,  
    s an int in range 0..999999999,  
    b either a Worker or None. """  
    self.lname = n  
    self.ssn = s  
    self.boss = b
```

Called by the constructor





# Special Method: `__init__`

two underscores

```
w = Worker(White, 1234, None)
```

don't forget self

```
def __init__(self, n, s, b):
```

"""Initializes a Worker object

Has last name n, SSN s, and boss b

Precondition: n a string,  
s an int in range 0..999999999,  
b either a Worker or None. """

```
self.lname = n
```

```
self.ssn = s
```

```
self.boss = b
```

use `self` to assign attributes

Called by the constructor

id8

Worker

lname 'White'


ssn 1234

boss None

# Evaluating a Constructor Expression


`Worker('White', 1234, None)`

1. Creates a new object (folder) of the class `Worker`
  - Instance is initially empty
2. Puts the folder into heap space
3. Executes the method `__init__`
  - Passes folder name to `self`
  - Passes other arguments in order
  - Executes the (assignment) commands in initializer body
4. Returns the object (folder) name



# Aside: The Value None

- The boss field is a problem.
  - boss refers to a Worker object
  - Some workers have no boss
  - Or maybe not assigned yet (the buck stops there)
- **Solution:** use value None
  - **None:** Lack of (folder) name
  - Will reassign the field later!
- Be careful with None values
  - `var3.x` gives error!
  - There is no name in `var3`
  - Which Point3 to use?



# A Class Definition

```
class Example(object):
```

```
12  def __init__(self,x):
```

```
13  |   self.x = x
```

```
14
```

```
15  def foo(self,y):
```

```
16  |   x = self.bar(y+1)
```

```
17  |   return x
```

```
18
```

```
19  def bar(self,y):
```

```
20  |   self.x = y-1
```


```
21  |   return self.x
```

```
>>> a = Example(3)
```


**Ignoring** the **class folder**  
what does the **call stack**  
and the **heap** look like?

# Which One is Closest to Your Answer?


A:




B:



C:



D:



# A Class Definition

```
class Example(object):
```

```
12 def __init__(self,x):
```

```
13 |     self.x = x
```

```
14
```

```
15 def foo(self,y):
```

```
16 |     x = self.bar(y+1)
```

```
17 |     return x
```

```
18
```

```
19 def bar(self,y):
```

```
20 |     self.x = y-1
```

```
21 |     return self.x
```

```
>>> a = Example(3)
```





D:

id1

Example

What is the **next step**?

# Which One is Closest to Your Answer?



# A Class Definition

```
class Example(object):
```

```
12 def __init__(self,x):
```

```
13 |     self.x = x
```

```
14 |
```

```
15 def foo(self,y):
```

```
16 |     x = self.bar(y+1)
```

```
17 |     return x
```


```
18 |
```

```
19 def bar(self,y):
```

```
20 |     self.x = y-1
```

```
21 |     return self.x
```

```
>>> a = Example(3)
```



What is the **next step**?



# Making Arguments Optional

- We can assign default values to `__init__` arguments
  - Write as assignments to parameters in definition
  - Parameters with default values are optional

- **Examples:**

- `p = Point3()` # (0,0,0)
- `p = Point3(1,2,3)` # (1,2,3)
- `p = Point3(1,2)` # (1,2,0)
- `p = Point3(y=3)` # (0,3,0)
- `p = Point3(1,z=2)` # (1,0,2)

```
1. class Point3(object):
2.     """Class for points in 3d space
3.     Invariant: x is a float
4.     Invariant y is a float
5.     Invariant z is a float     """
6.
7.     def __init__(self,x=0,y=0,z=0):
8.         """Initializes a new Point3
9.         Precond: x,y,z are numbers"""
10.        self.x = x
11.        self.y = y
12.        self.z = z
13.    ...
```

# Making Arguments Optional

- We can assign default values to `__init__` arguments
  - Write as assignments to parameters in definition
  - Parameters with default values are optional

- **Examples:**

- `p = Point3()` # (0,0,0)
- `p = Point3(1,2)` Assigns in order
- `p = Point3(1,2)`
- `p = Point3(y=3)` Use parameter name when out of order
- `p = Point3(1,z=2)` Can mix two approaches

```
1. class Point3(object):
2.     """Class for points in 3d space
3.     Invariant: x is a float
4.     Invariant y is a float
5.     Invariant z is a float     """
6.
7.     def __init__(self,x=0,y=0,z=0):
8.         """Initializes a new Point3
9.         Precond: x,y,z are numbers"""
10.        self.x = x
11.        self.y = y
12.        self.z = z
...

```

# Making Arguments Optional

- We can assign default values to `__init__` arguments
  - Write as assignments to parameters in definition
  - Parameters with default values are optional

- **Examples:**

- `p = Point3()` `# (0,0,0)`
- `p = Point3(1,2)` Assigns in order
- `p = Point3(y=3)` Use parameter name when out of order
- `p = Point3(1,z=2)` Can mix two approaches

```
1. class Point3(object):
2.     """Class for points in 3d space
3.     Invariant: x is a float
4.     Invariant y is a float
5.     Invariant z is a float     """
6.
7.     def __init__(self,x=0,y=0,z=0):
8.         """Initializes a point
9.         p = Point3(x,y,z)
10.        """
11.        self.x = x
12.        self.y = y
13.        self.z = z
...

```

Not limited to methods.  
Can do with any function.