

Lecture 15

Recursion

Announcements for Today

Prelim 1

- Tonight at 7:30 pm
 - **A–C** in Ives 305
 - **D-E** in Ives 105
 - **F–Q** in Statler Aud.
 - **R-Z** in Uris G01
- Graded by Sun evening
 - Scores will be in CMS
 - In time for drop date

Other Announcements

- **Videos:** Lesson 17
- Assignment 3 now graded
 - **Mean 94.2, Median 97**
 - **Time:** 8.8 hr, **StdDev:** 5.5 hr
 - But only 486 responses
- Assignment 4 posted Friday
 - Parts 1-3: Can do already
 - Part 4: material from today
 - Due 2 weeks from today

Support Sessions Monday

- What if your grade is **lower** than expected?
 - What can you do to **improve**?
 - Should you still stay in the course?
 - That is the purpose of our **support sessions**!
- I will hold them all (mostly) day Monday
 - 451 Gates 9:30-11:30am, 1-3pm
- Or meet with **other students**
 - 8am – 1pm in Gates 114
 - 1:30 – 4:30 pm in Gates 310

Recursion

- **Recursive Definition:**

A definition that is defined in terms of itself

- **Recursive Function:**

A function that calls itself (directly or indirectly)

PIP stands for “**PIP** Installs Packages”

A Mathematical Example: Factorial

- Non-recursive definition:

$$\begin{aligned}n! &= n \times n-1 \times \dots \times 2 \times 1 \\ &= n (n-1 \times \dots \times 2 \times 1)\end{aligned}$$

- Recursive definition:

$$n! = n (n-1)! \quad \text{for } n > 0 \quad \text{Recursive case}$$

$$0! = 1 \quad \text{Base case}$$

What happens if there is no base case?

Factorial as a Recursive Function

```
def factorial(n):
```

```
    """Returns: factorial of n.
```

```
    Pre: n ≥ 0 an int"""
```

```
    if n == 0:
```

```
        | return 1
```

```
    return n*factorial(n-1)
```

- $n! = n (n-1)!$

- $0! = 1$

Base case(s)

Recursive case

What happens if there is no base case?

Example: Fibonacci Sequence

- Sequence of numbers: 1, 1, 2, 3, 5, 8, 13, ...

$$a_0 \quad a_1 \quad a_2 \quad a_3 \quad a_4 \quad a_5 \quad a_6$$

- Get the next number by adding previous two
- What is a_8 ?

A: $a_8 = 21$

B: $a_8 = 29$

C: $a_8 = 34$

D: None of these.

Example: Fibonacci Sequence

- Sequence of numbers: 1, 1, 2, 3, 5, 8, 13, ...

$$a_0 \quad a_1 \quad a_2 \quad a_3 \quad a_4 \quad a_5 \quad a_6$$

- Get the next number by adding previous two
- What is a_8 ?

A: $a_8 = 21$

B: $a_8 = 29$

C: $a_8 = 34$ **correct**

D: None of these.

Example: Fibonacci Sequence

- Sequence of numbers: 1, 1, 2, 3, 5, 8, 13, ...

$$a_0 \quad a_1 \quad a_2 \quad a_3 \quad a_4 \quad a_5 \quad a_6$$

- Get the next number by adding previous two
 - What is a_8 ?
- Recursive definition:
 - $a_n = a_{n-1} + a_{n-2}$ **Recursive Case**
 - $a_0 = 1$ **Base Case**
 - $a_1 = 1$ **(another) Base Case**

Why did we need two base cases this time?

Fibonacci as a Recursive Function

```
def fibonacci(n):
```

```
    """Returns: Fibonacci no.  $a_n$ 
```

```
    Precondition:  $n \geq 0$  an int"""
```

```
    if n <= 1:
```

```
        | return 1
```

Base case(s)

```
    return (fibonacci(n-1)+  
            fibonacci(n-2))
```

Recursive case

Note difference with base case conditional.

Fibonacci as a Recursive Function

```
def fibonacci(n):
```

```
    """Returns: Fibonacci no.  $a_n$ 
```


```
    Precondition:  $n \geq 0$  an int"""
```

```
    if n <= 1:
```

```
        return 1
```


```
    return (fibonacci(n-1)+  
            fibonacci(n-2))
```

- Function that calls itself
 - Each call is new frame
 - Frames require memory
 - ∞ calls = ∞ memory




Fibonacci: # of Frames vs. # of Calls

- Fibonacci is very inefficient.
 - $\text{fib}(n)$ has a stack that is always $\leq n$
 - But $\text{fib}(n)$ makes a lot of **redundant calls**



Fibonacci: # of Frames vs. # of Calls

- Fibonacci is very inefficient.
 - $\text{fib}(n)$ has a stack that is always $\leq n$
 - But $\text{fib}(n)$ makes a lot of **redundant calls**



Recursion vs Iteration

- **Recursion** is *provably equivalent* to **iteration**
 - Iteration includes **for-loop** and **while-loop** (later)
 - Anything can do in one, can do in the other
- But some things are easier with recursion
 - And some things are easier with iteration
- Will **not** teach you when to choose recursion
 - This is a topic for more advanced classes
- We just want you to *understand the technique*

Recursion is best for Divide and Conquer

Goal: Solve problem P on a piece of data




data

Recursion is best for Divide and Conquer

Goal: Solve problem P on a piece of data



Idea: Split data into two parts and solve problem




Recursion is best for Divide and Conquer

Goal: Solve problem P on a piece of data




Idea: Split data into two parts and solve problem




Combine Answer!

Divide and Conquer Example


Count the number of 'e's in a string:



Two 'e's




One 'e'




One 'e'

Divide and Conquer Example


Count the number of 'e's in a string:



Two 'e's




Zero 'e's





Two 'e's

Divide and Conquer Example

Count the number of 'e's in a string:



Will talk about *how* to break-up later



Zero 'e's



Two 'e's

Three Steps for Divide and Conquer

1. Decide what to do on “small” data
 - Some data cannot be broken up
 - Have to compute this answer directly
2. Decide how to break up your data
 - Both “halves” should be smaller than whole
 - Often no wrong way to do this (next lecture)
3. Decide how to combine your answers
 - Assume the smaller answers are correct
 - Combining them should give bigger answer

Divide and Conquer Example

```
def num_es(s):  
    """Returns: # of 'e's in s"""  
    # 1. Handle small data  
    if s == "":  
        | return 0  
    elif len(s) == 1:  
        | return 1 if s[0] == 'e' else 0
```

“Short-cut” for

```
if s[0] == 'e':
```

```
    return 1
```

```
else:
```

```
    return 0
```



```
# 2. Break into two parts
```

```
left = num_es(s[0])
```

```
right = num_es(s[1:])
```

```
# 3. Combine the result
```

```
return left+right
```

s[0]

p

s[1:]

e	n	n	e
---	---	---	---

0

+

2

Divide and Conquer Example

```
def num_es(s):  
    """Returns: # of 'e's in s"""  
    # 1. Handle small data  
    if s == "":  
        | return 0  
    elif len(s) == 1:  
        | return 1 if s[0] == 'e' else 0
```

“Short-cut” for

```
if s[0] == 'e':
```

```
    return 1
```

```
else:
```

```
    return 0
```



```
# 2. Break into two parts
```

```
left = num_es(s[0])
```

```
right = num_es(s[1:])
```

```
# 3. Combine the result
```

```
return left+right
```

s[0]

p

s[1:]

e	n	n	e
---	---	---	---

0

+

2

Divide and Conquer Example

```
def num_es(s):  
    """Returns: # of 'e's in s"""  
    # 1. Handle small data  
    if s == "":  
        | return 0  
    elif len(s) == 1:  
        | return 1 if s[0] == 'e' else 0
```

“Short-cut” for

```
if s[0] == 'e':
```

```
    return 1
```

```
else:
```

```
    return 0
```



2. Break into two parts

```
left = num_es(s[0])
```

```
right = num_es(s[1:])
```

```
# 3. Combine the result
```

```
return left+right
```

s[0]

p

s[1:]

e	n	n	e
---	---	---	---

0

+

2

Divide and Conquer Example

```
def num_es(s):  
    """Returns: # of 'e's in s"""  
    # 1. Handle small data  
    if s == "":  
        | return 0  
    elif len(s) == 1:  
        | return 1 if s[0] == 'e' else 0
```

“Short-cut” for

```
if s[0] == 'e':
```

```
    return 1
```

```
else:
```

```
    return 0
```



```
# 2. Break into two parts
```

```
left = num_es(s[0])
```

```
right = num_es(s[1:])
```

```
# 3. Combine the result
```

```
return left+right
```

s[0]

p

s[1:]

e	n	n	e
---	---	---	---

0

+

2

Divide and Conquer Example

```
def num_es(s):
```

```
    """Returns: # of 'e's in s"""
```

```
    # 1. Handle small data
```

```
    if s == ":
```

```
        | return 0
```

```
    elif len(s) == 1:
```

```
        | return 1 if s[0] == 'e' else 0
```

Base Case

```
    # 2. Break into two parts
```

```
    left = num_es(s[0])
```

```
    right = num_es(s[1:])
```

Recursive
Case

```
    # 3. Combine the result
```

```
    return left+right
```

Exercise: Remove Blanks from a String

```
def deblank(s):  
    | """Returns: s but with its blanks removed"""
```

1. Decide what to do on “small” data

- If it is the **empty string**, nothing to do

```
if s == "":  
    | return s
```

- If it is a **single character**, delete it if a blank

```
if s == ' ':    # There is a space here  
    | return "" # Empty string  
else:  
    | return s
```

Exercise: Remove Blanks from a String

```
def deblank(s):  
    """Returns: s but with its blanks removed"""
```

2. Decide how to break it up

```
left = deblank(s[0])    # A string with no blanks  
right = deblank(s[1:]) # A string with no blanks
```

3. Decide how to combine the answer

```
return left+right      # String concatenation
```

Putting it All Together

```
def deblank(s):
```

```
    """Returns: s w/o blanks"""
```

```
    if s == ":
```

```
        | return s
```


```
    elif len(s) == 1:
```

```
        | return " if s[0] == ' ' else s
```


```
    left = deblank(s[0])
```

```
    right = deblank(s[1:])
```

```
    return left+right
```



Handle small data



Break up the data



Combine answers

Putting it All Together

```
def deblank(s):
```

```
    """Returns: s w/o blanks"""
```

```
    if s == ":
```

```
        | return s
```

```
    elif len(s) == 1:
```

```
        | return " if s[0] == ' ' else s
```


```
    left = deblank(s[0])
```

```
    right = deblank(s[1:])
```

```
    return left+right
```




Base Case



Recursive
Case

Minor Optimization

```
def deblank(s):  
    """Returns: s w/o blanks"""  
    if s == "":  
        | return s  
    elif len(s) == 1:  
        | return " if s[0] == ' ' else s  
  
    left = deblank(s[0])  
    right = deblank(s[1:])  
  
    return left+right
```



Needed second
base case to
handle s[0]

Minor Optimization

```
def deblank(s):
```

```
    """Returns: s w/o blanks"""
```

```
    if s == ":
```

```
        | return s
```

```
    left = s[0]
```

```
    if s[0] == ' ':
```

```
        | left = "
```

```
    right = deblank(s[1:])
```

```
    return left+right
```



Eliminate the
second base
by combining



Less recursive calls

Following the Recursion




deblank

	a		b		c
--	---	--	---	--	---




Following the Recursion






Following the Recursion






Following the Recursion







Following the Recursion







Following the Recursion





Following the Recursion






Following the Recursion







Recursion



Following the Recursion
















Following the Recursion


















Recursion

Following the Recursion




















Recursion

Following the Recursion








Recursion

Following the Recursion



Following the Recursion



Final Modification

```
def deblank(s):
```

```
    """Returns: s w/o blanks"""
```

```
    if s == ":
```

```
        | return s
```



Real work done here

```
    left = s[0]
```

```
    if s[0] == ' ':
```

```
        | left = "
```

```
    right = deblank(s[1:])
```

```
    return left+right
```

Final Modification

```
def deblank(s):
```

```
    """Returns: s w/o blanks"""
```

```
    if s == ":
```

```
        | return s
```

Real work done here

```
    left = s
```

```
    if s[0] in string.whitespace
```

```
        | left = "
```

```
    right = deblank(s[1:])
```

```
    return left+right
```

Module `string` has special constants to simplify detection of whitespace and other characters.

Next Time: Breaking Up Recursion