

CS 4110

Programming Languages & Logics

Lecture 10
Hoare Logic



Overview

Last time

- Assertion language: P
- Assertion satisfaction: $\sigma \models_I P$
- Assertion validity: $\models P$
- Partial/total correctness statements: $\{P\} c \{Q\}$ and $[P] c [Q]$
- Partial correctness satisfaction $\sigma \models_I \{P\} c \{Q\}$
- Partial correctness validity: $\models \{P\} c \{Q\}$

Today

- Hoare Logic
- Examples
- Metatheory

Review

Definition (Partial correctness satisfaction)

A partial correctness statement $\{P\} c \{Q\}$ is satisfied by store σ and interpretation I , written $\sigma \models_I \{P\} c \{Q\}$, if:

$$\forall \sigma'. \text{ if } \sigma \models_I P \text{ and } C[[c]] \sigma = \sigma' \text{ then } \sigma' \models_I Q$$

Definition (Partial correctness validity)

A partial correctness statement is valid (written $\models \{P\} c \{Q\}$), if it is satisfied by any store and interpretation:

$$\forall \sigma, I. \sigma \models_I \{P\} c \{Q\}.$$

Hoare Logic

Want a way to prove partial correctness statements valid...

... without having to consider explicitly every store and interpretation!

Hoare Logic

Want a way to prove partial correctness statements valid...

... without having to consider explicitly every store and interpretation!

Idea: Develop a formal *proof system* as an inductively-defined set! Every member of the set will be a valid partial correctness statement.

We'll define a judgment of the form $\vdash \{P\} c \{Q\}$ using inference rules.

Hoare Logic: Skip

$$\frac{}{\vdash \{P\} \mathbf{skip} \{P\}} \text{SKIP}$$

Hoare Logic: Assignment (this one's weird)

$$\frac{}{\vdash \{P[a/x]\} x := a \{P\}} \text{ASSIGN}$$

Hoare Logic: Assignment (this one's weird)

$$\frac{}{\vdash \{P[a/x]\} x := a \{P\}} \text{ASSIGN}$$

Notation: $P[a/x]$ denotes substitution of a for x in P

Hoare Logic: Assignment (this one's weird)

$$\frac{}{\vdash \{P[a/x]\} x := a \{P\}} \text{ASSIGN}$$

Notation: $P[a/x]$ denotes substitution of a for x in P

$$\{ \quad \} x := 5 \{x = 5\}$$

Hoare Logic: Assignment (this one's weird)

$$\frac{}{\vdash \{P[a/x]\} x := a \{P\}} \text{ASSIGN}$$

Notation: $P[a/x]$ denotes substitution of a for x in P

$$\{5 = 5\} x := 5 \{x = 5\}$$

Hoare Logic: Broken Assignment

The rule for assignment is definitely *not*:

$$\frac{}{\vdash \{P\} x := a \{P[a/x]\}} \text{BROKENASSIGN}$$

Hoare Logic: Broken Assignment

The rule for assignment is definitely *not*:

$$\frac{}{\vdash \{P\} x := a \{P[a/x]\}} \text{BROKENASSIGN}$$

$$\{x = 0\} x := 5 \{ \quad \}$$

Hoare Logic: Broken Assignment

The rule for assignment is definitely *not*:

$$\frac{}{\vdash \{P\} x := a \{P[a/x]\}} \text{BROKENASSIGN}$$

$$\{x = 0\} x := 5 \{5 = 0\}$$

Hoare Logic: Broken Assignment

The rule for assignment is definitely *not*:

$$\frac{}{\vdash \{P\} x := a \{P[a/x]\}} \text{BROKENASSIGN}$$

$$\{x = 0\} x := 5 \{5 = 0\}$$

$$\frac{}{\vdash \{P\} x := a \{P[x/a]\}} \text{BROKENASSIGN2}$$

Hoare Logic: Broken Assignment

The rule for assignment is definitely *not*:

$$\frac{}{\vdash \{P\} x := a \{P[a/x]\}} \text{BROKENASSIGN}$$

$$\{x = 0\} x := 5 \{5 = 0\}$$

$$\frac{}{\vdash \{P\} x := a \{P[x/a]\}} \text{BROKENASSIGN2}$$

$$\{x = 0\} x := 5 \{ \quad \}$$

Hoare Logic: Broken Assignment

The rule for assignment is definitely *not*:

$$\frac{}{\vdash \{P\} x := a \{P[a/x]\}} \text{BROKENASSIGN}$$

$$\{x = 0\} x := 5 \{5 = 0\}$$

$$\frac{}{\vdash \{P\} x := a \{P[x/a]\}} \text{BROKENASSIGN2}$$

$$\{x = 0\} x := 5 \{x = 0\}$$

Hoare Logic: Assignment

Here's the *correct* rule again:

$$\frac{}{\vdash \{P[a/x]\} x := a \{P\}} \text{ASSIGN}$$

$$\{5 = 5\} x := 5 \{x = 5\}$$

Hoare Logic: Sequence

$$\frac{\vdash \{P\} c_1 \{R\} \quad \vdash \{R\} c_2 \{Q\}}{\vdash \{P\} c_1; c_2 \{Q\}} \text{SEQ}$$

Hoare Logic: Conditionals

$$\frac{\vdash \{P \wedge b\} c_1 \{Q\} \quad \vdash \{P \wedge \neg b\} c_2 \{Q\}}{\vdash \{P\} \text{if } b \text{ then } c_1 \text{ else } c_2 \{Q\}} \text{IF}$$

Hoare Logic: Loops

$$\frac{\vdash \{P \wedge b\} c \{P\}}{\vdash \{P\} \mathbf{while} \ b \ \mathbf{do} \ c \ \{P \wedge \neg b\}} \text{WHILE}$$

P works as a **loop invariant**.

Hoare Logic: Consequence

$$\frac{\models P \Rightarrow P' \quad \vdash \{P'\} c \{Q'\} \quad \models Q' \Rightarrow Q}{\vdash \{P\} c \{Q\}} \text{ CONSEQUENCE}$$

Recall: $\models P \Rightarrow P'$ denotes assertion validity.

It's always free to *strengthen* pre-conditions and *weaken* post-conditions.

$$\frac{}{\vdash \{P\} \text{ skip } \{P\}} \text{ SKIP}$$

$$\frac{}{\vdash \{P[a/x]\} x := a \{P\}} \text{ ASSIGN}$$

$$\frac{\vdash \{P\} c_1 \{R\} \quad \vdash \{R\} c_2 \{Q\}}{\vdash \{P\} c_1; c_2 \{Q\}} \text{ SEQ}$$

$$\frac{\vdash \{P \wedge b\} c_1 \{Q\} \quad \vdash \{P \wedge \neg b\} c_2 \{Q\}}{\vdash \{P\} \text{ if } b \text{ then } c_1 \text{ else } c_2 \{Q\}} \text{ IF}$$

$$\frac{\vdash \{P \wedge b\} c \{P\}}{\vdash \{P\} \text{ while } b \text{ do } c \{P \wedge \neg b\}} \text{ WHILE}$$

$$\frac{\vDash P \Rightarrow P' \quad \vdash \{P'\} c \{Q'\} \quad \vDash Q' \Rightarrow Q}{\vdash \{P\} c \{Q\}} \text{ CONSEQUENCE}$$

Example: Factorial

```
{x = n ∧ n > 0}  
y := 1;  
while x > 0 do  
    (y := y * x;  
     x := x - 1)  
{y = n!}
```

Soundness and Completeness

Soundness: If we can prove it, then it's actually true.

Completeness: If it's true, then a proof exists.

Soundness and Completeness

Definition (Soundness)

If $\vdash \{P\} c \{Q\}$ then $\models \{P\} c \{Q\}$.

Definition (Completeness)

If $\models \{P\} c \{Q\}$ then $\vdash \{P\} c \{Q\}$.

Today: Soundness

Next time: *Relative* completeness

Soundness and Completeness

Theorem (Soundness)

If $\vdash \{P\} c \{Q\}$ then $\models \{P\} c \{Q\}$.

Soundness and Completeness

Theorem (Soundness)

If $\vdash \{P\} c \{Q\}$ then $\models \{P\} c \{Q\}$.

Proof.

By induction on derivation of $\vdash \{P\} c \{Q\}$...



Soundness and Completeness

Definition (Completeness)

If $\models \{P\} c \{Q\}$ then $\vdash \{P\} c \{Q\}$.

Soundness and Completeness

Definition (Completeness)

If $\models \{P\} c \{Q\}$ then $\vdash \{P\} c \{Q\}$.

CONSEQUENCE spoils completeness:

$$\frac{\models P \Rightarrow P' \quad \vdash \{P'\} c \{Q'\} \quad \models Q' \Rightarrow Q}{\vdash \{P\} c \{Q\}}$$

Soundness and Completeness

Definition (Completeness)

If $\models \{P\} c \{Q\}$ then $\vdash \{P\} c \{Q\}$.

CONSEQUENCE spoils completeness:

$$\frac{\models P \Rightarrow P' \quad \vdash \{P'\} c \{Q'\} \quad \models Q' \Rightarrow Q}{\vdash \{P\} c \{Q\}}$$

Definition (Relative completeness)

Hoare logic is *no more incomplete* than those implications.