

CS 4110

Programming Languages & Logics

Lecture 11
Weakest Preconditions



Generating Preconditions

To fill in a precondition:

$$\{ \quad \} \subset \{Q\}$$

there are many possible preconditions—and some are more useful than others.

Weakest Preconditions

Intuition: The weakest liberal precondition for c and Q is the weakest assertion P such that $\{P\} c \{Q\}$ is valid.

Weakest Preconditions

Intuition: The weakest liberal precondition for c and Q is the weakest assertion P such that $\{P\} c \{Q\}$ is valid.

More formally...

Definition (Weakest Liberal Precondition)

P is a weakest liberal precondition of c and Q written $wlp(c, Q)$ if:

$$\forall \sigma, l. \sigma \models_l P \iff (C[[c]] \sigma) \text{ undefined} \vee (C[[c]] \sigma) \models_l Q$$

Weakest Preconditions

$$wlp(\mathbf{skip}, P) = P$$

Weakest Preconditions

$$\begin{aligned}wlp(\mathbf{skip}, P) &= P \\wlp(x := a, P) &= P[a/x]\end{aligned}$$

Weakest Preconditions

$$\begin{aligned}wlp(\mathbf{skip}, P) &= P \\wlp(x := a, P) &= P[a/x] \\wlp((c_1; c_2), P) &= wlp(c_1, wlp(c_2, P))\end{aligned}$$

Weakest Preconditions

$$\begin{aligned}wlp(\mathbf{skip}, P) &= P \\wlp(x := a, P) &= P[a/x] \\wlp((c_1; c_2), P) &= wlp(c_1, wlp(c_2, P)) \\wlp(\mathbf{if } b \mathbf{ then } c_1 \mathbf{ else } c_2, P) &= (b \implies wlp(c_1, P)) \wedge \\&\quad (\neg b \implies wlp(c_2, P))\end{aligned}$$

Weakest Preconditions

$$\begin{aligned}wlp(\mathbf{skip}, P) &= P \\wlp(x := a, P) &= P[a/x] \\wlp((c_1; c_2), P) &= wlp(c_1, wlp(c_2, P)) \\wlp(\mathbf{if } b \mathbf{ then } c_1 \mathbf{ else } c_2, P) &= (b \implies wlp(c_1, P)) \wedge \\&\quad (\neg b \implies wlp(c_2, P)) \\wlp(\mathbf{while } b \mathbf{ do } c, P) &= \bigwedge_i F_i(P)\end{aligned}$$

Weakest Preconditions

$$\begin{aligned}wlp(\mathbf{skip}, P) &= P \\wlp(x := a, P) &= P[a/x] \\wlp((c_1; c_2), P) &= wlp(c_1, wlp(c_2, P)) \\wlp(\mathbf{if } b \mathbf{ then } c_1 \mathbf{ else } c_2, P) &= (b \implies wlp(c_1, P)) \wedge \\&\quad (\neg b \implies wlp(c_2, P)) \\wlp(\mathbf{while } b \mathbf{ do } c, P) &= \bigwedge_i F_i(P)\end{aligned}$$

where

$$\begin{aligned}F_0(P) &= \mathbf{true} \\F_{i+1}(P) &= (\neg b \implies P) \wedge (b \implies wlp(c, F_i(P)))\end{aligned}$$

Applications of Weakest Preconditions

Failing fast: avoid wasting work on bad inputs.

```
p := getPacket();  
processPacket(p);  
assert  $P_{\text{safe}}$ 
```

Applications of Weakest Preconditions

Failing fast: avoid wasting work on bad inputs.

```
p := getPacket();  
processPacket(p);  
{ $P_{\text{safe}}$ }
```

Applications of Weakest Preconditions

Failing fast: avoid wasting work on bad inputs.

```
p := getPacket();  
{ $P_{\text{filter}}(p)$ };  
processPacket(p);  
{ $P_{\text{safe}}$ }
```

Applications of Weakest Preconditions

Failing fast: avoid wasting work on bad inputs.

```
p := getPacket();  
assert  $P_{\text{filter}}(p)$ ;  
processPacket(p);
```

Applications of Weakest Preconditions

Failing fast: avoid wasting work on bad inputs.

```
p := getPacket();  
assert  $P_{\text{filter}}(p)$ ;  
processPacket(p);
```

P_{filter} should be the *weakest* precondition to avoid ruling out legitimate inputs.

David Brumley, Hao Wang, Somesh Jha, and Dawn Song. “Creating Vulnerability Signatures Using Weakest Preconditions.” In *Computer Security Foundations (CSF)*, 2007.

Properties of Weakest Preconditions

Lemma (Correctness of Weakest Preconditions)

$\forall c \in \mathbf{Com}, Q \in \mathbf{Assn}.$

$\models \{wlp(c, Q)\} c \{Q\}$ and

$\forall R \in \mathbf{Assn}. \models \{R\} c \{Q\}$ implies $(R \implies wlp(c, Q))$

Properties of Weakest Preconditions

Lemma (Correctness of Weakest Preconditions)

$\forall c \in \mathbf{Com}, Q \in \mathbf{Assn}.$

$\models \{wlp(c, Q)\} c \{Q\}$ and

$\forall R \in \mathbf{Assn}. \models \{R\} c \{Q\}$ implies $(R \implies wlp(c, Q))$

Lemma (Provability of Weakest Preconditions)

$\forall c \in \mathbf{Com}, Q \in \mathbf{Assn}. \vdash \{wlp(c, Q)\} c \{Q\}$

Soundness and Completeness

Soundness: If we can prove it, then it's actually true.

Completeness: If it's true, then a proof exists.

Soundness and Completeness

Soundness: If we can prove it, then it's actually true.

Definition (Soundness)

If $\vdash \{P\} c \{Q\}$ then $\models \{P\} c \{Q\}$.


Completeness: If it's true, then a proof exists.

Definition (Completeness)

If $\models \{P\} c \{Q\}$ then $\vdash \{P\} c \{Q\}$.




vs.





Kurt Gödel

vs.



Sir Tony Hoare

Relative Completeness

Theorem (Cook (1974))

$\forall P, Q \in \mathbf{Assn}, c \in \mathbf{Com}. \models \{P\} c \{Q\} \text{ implies } \vdash \{P\} c \{Q\}.$

Relative Completeness

Theorem (Cook (1974))

$\forall P, Q \in \mathbf{Assn}, c \in \mathbf{Com}. \models \{P\} c \{Q\}$ implies $\vdash \{P\} c \{Q\}$.

Proof Sketch.

Let $\{P\} c \{Q\}$ be a valid partial correctness specification.

By the first Lemma we have $\models P \implies wlp(c, Q)$.

By the second Lemma we have $\vdash \{wlp(c, Q)\} c \{Q\}$.

We conclude $\vdash \{P\} c \{Q\}$ using the CONSEQUENCE rule. □