

SQL: Queries, Programming, Triggers

Chapter 5

Example Instances

R1	sid	bid	day
	22	101	10/10/96
	58	103	11/12/96

❖ We will use these instances of the Sailors and Reserves relations in our examples.

S1	sid	sname	rating	age
	22	dustin	7	45.0
	31	lubber	8	55.5
	58	rusty	10	35.0

❖ If the key for the Reserves relation contained only the attributes *sid* and *bid*, how would the semantics differ?

S2	sid	sname	rating	age
	28	yuppy	9	35.0
	31	lubber	8	55.5
	44	guppy	5	35.0
	58	rusty	10	35.0

Basic SQL Query

```
SELECT [DISTINCT] target-list
FROM relation-list
WHERE qualification
```

- ❖ **relation-list** A list of relation names (possibly with a *range-variable* after each name).
- ❖ **target-list** A list of attributes of relations in *relation-list*
- ❖ **qualification** Comparisons (Attr *op* const or Attr1 *op* Attr2, where *op* is one of $<$, $>$, $=$, \leq , \geq , \neq) combined using AND, OR and NOT.
- ❖ DISTINCT is an optional keyword indicating that the answer should not contain duplicates. Default is that duplicates are not eliminated!

Conceptual Evaluation Strategy

- ❖ Semantics of an SQL query defined in terms of the following conceptual evaluation strategy:
 - Compute the cross-product of *relation-list*.
 - Discard resulting tuples if they fail *qualifications*.
 - Delete attributes that are not in *target-list*.
 - If DISTINCT is specified, eliminate duplicate rows.
- ❖ This strategy is probably the least efficient way to compute a query! An optimizer will find more efficient strategies to compute *the same answers*.

Example of Conceptual Evaluation

```
SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND R.bid=103
```

(sid)	sname	rating	age	(sid)	bid	day
22	dustin	7	45.0	22	101	10/10/96
22	dustin	7	45.0	58	103	11/12/96
31	lubber	8	55.5	22	101	10/10/96
31	lubber	8	55.5	58	103	11/12/96
58	rusty	10	35.0	22	101	10/10/96
58	rusty	10	35.0	58	103	11/12/96

A Note on Range Variables

❖ Really needed only if the same relation appears twice in the FROM clause. The previous query can also be written as:

```
SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND bid=103
OR
SELECT sname
FROM Sailors, Reserves
WHERE Sailors.sid=Reserves.sid
AND bid=103
```

It is good style, however, to use range variables always!

Find sailors who've reserved at least one boat

```
SELECT S.sid
FROM Sailors S, Reserves R
WHERE S.sid=R.sid
```

- ❖ Would adding DISTINCT to this query make a difference?
- ❖ What is the effect of replacing *S.sid* by *S.sname* in the SELECT clause? Would adding DISTINCT to this variant of the query make a difference?

Expressions and Strings

```
SELECT S.age, age1=S.age-5, 2*S.age AS age2
FROM Sailors S
WHERE S.sname LIKE 'B_%B'
```

- ❖ Illustrates use of arithmetic expressions and string pattern matching: *Find triples (of ages of sailors and two fields defined by expressions) for sailors whose names begin and end with B and contain at least three characters.*
- ❖ AS and = are two ways to name fields in result.
- ❖ LIKE is used for string matching. ``_`` stands for any one character and ``%`` stands for 0 or more arbitrary characters.

Find sid's of sailors who've reserved a red or a green boat

- ❖ UNION: Can be used to compute the union of any two *union-compatible* sets of tuples (which are themselves the result of SQL queries).
- ❖ If we replace OR by AND in the first version, what do we get?
- ❖ Also available: EXCEPT (What do we get if we replace UNION by EXCEPT?)

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid
AND (B.color='red' OR B.color='green')
```

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND
R.bid=B.bid
AND B.color='red'
```

```
UNION
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND
R.bid=B.bid
AND B.color='green'
```

Find sid's of sailors who've reserved a red and a green boat

- ❖ INTERSECT: Can be used to compute the intersection of any two *union-compatible* sets of tuples.
- ❖ Included in the SQL/92 standard, but some systems don't support it.
- ❖ Contrast symmetry of the UNION and INTERSECT queries with how much the other versions differ.

```
SELECT S.sid
FROM Sailors S, Boats B1, Reserves R1,
Boats B2, Reserves R2
WHERE S.sid=R1.sid AND R1.bid=B1.bid
AND S.sid=R2.sid AND R2.bid=B2.bid
AND (B1.color='red' AND B2.color='green')
```

Key field!

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND
R.bid=B.bid
AND B.color='red'
```

```
INTERSECT
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND
R.bid=B.bid
```

Nested Queries

Find names of sailors who've reserved boat #103:

```
SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
FROM Reserves R
WHERE R.bid=103)
```

- ❖ A very powerful feature of SQL: a WHERE clause can itself contain an SQL query! (Actually, so can FROM and HAVING clauses.)
- ❖ To find sailors who've *not* reserved #103, use NOT IN.
- ❖ To understand semantics of nested queries, think of a *nested loops* evaluation: *For each Sailors tuple, check the qualification by computing the subquery.*

Nested Queries with Correlation

Find names of sailors who've reserved boat #103:

```
SELECT S.sname
FROM Sailors S
WHERE EXISTS (SELECT *
FROM Reserves R
WHERE R.bid=103 AND S.sid=R.sid)
```

- ❖ EXISTS is another set comparison operator, like IN.
- ❖ If UNIQUE is used, and * is replaced by *R.bid*, finds sailors with at most one reservation for boat #103. (UNIQUE checks for duplicate tuples; * denotes all attributes. Why do we have to replace * by *R.bid*?)
- ❖ Illustrates why, in general, subquery must be re-computed for each Sailors tuple.

More on Set-Comparison Operators

- ❖ We've already seen IN, EXISTS and UNIQUE. Can also use NOT IN, NOT EXISTS and NOT UNIQUE.
- ❖ Also available: *op* ANY, *op* ALL, *op* IN >, <, =, ≥, ≤, ≠
- ❖ Find sailors whose rating is greater than that of some sailor called Horatio:

```
SELECT *
FROM Sailors S
WHERE S.rating > ANY (SELECT S2.rating
                     FROM Sailors S2
                     WHERE S2.sname='Horatio')
```

Rewriting INTERSECT Queries Using IN

Find *sid*'s of sailors who've reserved both a red and a green boat:

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
      AND S.sid IN (SELECT S2.sid
                   FROM Sailors S2, Boats B2, Reserves R2
                   WHERE S2.sid=R2.sid AND R2.bid=B2.bid
                   AND B2.color='green')
```

- ❖ Similarly, EXCEPT queries re-written using NOT IN.
- ❖ To find *names* (not *sid*'s) of Sailors who've reserved both red and green boats, just replace *S.sid* by *S.sname* in SELECT clause. (What about INTERSECT query?)

Division in SQL

Find sailors who've reserved all boats.

- ❖ Let's do it the hard way, without EXCEPT:

```
(1) SELECT S.sname
     FROM Sailors S
     WHERE NOT EXISTS
           ((SELECT B.bid
            FROM Boats B)
          EXCEPT
          (SELECT R.bid
           FROM Reserves R
           WHERE R.sid=S.sid))

(2) SELECT S.sname
     FROM Sailors S
     WHERE NOT EXISTS (SELECT B.bid
                      FROM Boats B
                      WHERE NOT EXISTS (SELECT R.bid
                                       FROM Reserves R
                                       WHERE R.bid=B.bid
                                       AND R.sid=S.sid))

Sailors S such that ...
there is no boat B without ...
a Reserves tuple showing S reserved B
```

Aggregate Operators

- ❖ Significant extension of relational algebra.

```
COUNT (*)
COUNT ( [DISTINCT] A )
SUM ( [DISTINCT] A )
AVG ( [DISTINCT] A )
MAX ( A )
MIN ( A )
```

single column

```
SELECT COUNT (*)
FROM Sailors S

SELECT S.sname
FROM Sailors S

SELECT AVG (S.age)
FROM Sailors S
WHERE S.rating=10

SELECT COUNT (DISTINCT S.rating)
FROM Sailors S
WHERE S.sname='Bob'

SELECT COUNT (*)
FROM Sailors S
WHERE S.rating=10

SELECT COUNT (DISTINCT S.age)
FROM Sailors S
WHERE S.rating=10
```

Find name and age of the oldest sailor(s)

- ❖ The first query is illegal! (We'll look into the reason a bit later, when we discuss GROUP BY.)
- ❖ The third query is equivalent to the second query, and is allowed in the SQL/92 standard, but is not supported in some systems.

```
SELECT S.sname, MAX (S.age)
FROM Sailors S

SELECT S.sname, S.age
FROM Sailors S
WHERE S.age =
      (SELECT MAX (S2.age)
       FROM Sailors S2)

SELECT S.sname, S.age
FROM Sailors S
WHERE (SELECT MAX (S2.age)
       FROM Sailors S2)
      = S.age
```

GROUP BY and HAVING

- ❖ So far, we've applied aggregate operators to all (qualifying) tuples. Sometimes, we want to apply them to each of several *groups* of tuples.
- ❖ Consider: Find the age of the youngest sailor for each rating level.
 - In general, we don't know how many rating levels exist, and what the rating values for these levels are!
 - Suppose we know that rating values go from 1 to 10; we can write 10 queries that look like this (!):

```
For i = 1, 2, ..., 10:
SELECT MIN (S.age)
FROM Sailors S
WHERE S.rating = i
```

Queries With GROUP BY and HAVING

```
SELECT [DISTINCT] target-list
FROM relation-list
WHERE qualification
GROUP BY grouping-list
HAVING group-qualification
```

- ❖ The *target-list* contains (i) attribute names (ii) terms with aggregate operations (e.g., MIN (S.age)).
 - The attribute list (i) must be a subset of *grouping-list*. Intuitively, each answer tuple corresponds to a *group*, and these attributes must have a single value per group. (A *group* is a set of tuples that have the same value for all attributes in *grouping-list*.)

Conceptual Evaluation

- ❖ The cross-product of *relation-list* is computed, tuples that fail *qualification* are discarded, 'unnecessary' fields are deleted, and the remaining tuples are partitioned into groups by the value of attributes in *grouping-list*.
- ❖ The *group-qualification* is then applied to eliminate some groups. Expressions in *group-qualification* must have a single value per group!
 - In effect, an attribute in *group-qualification* that is not an argument of an aggregate op also appears in *grouping-list*. (SQL does not exploit primary key semantics here!)
- ❖ One answer tuple is generated per qualifying group.

Find the age of the youngest sailor with age ≥ 18 , for each rating with at least 2 such sailors

```
SELECT S.rating, MIN (S.age)
FROM Sailors S
WHERE S.age >= 18
GROUP BY S.rating
HAVING COUNT (*) > 1
```

sid	sname	rating	age
22	dustin	7	45.0
31	lubber	8	55.5
71	zorba	10	16.0
64	horatio	7	35.0
29	brutus	1	33.0
58	rusty	10	35.0

rating	age
1	33.0
7	45.0
7	35.0
8	55.5
10	35.0

Answer relation

- ❖ Only S.rating and S.age are mentioned in the SELECT, GROUP BY or HAVING clauses; other attributes 'unnecessary'.
- ❖ 2nd column of result is unnamed. (Use AS to name it.)

For each red boat, find the number of reservations for this boat

```
SELECT B.bid, COUNT (*) AS scount
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
GROUP BY B.bid
```

- ❖ Grouping over a join of three relations.
- ❖ What do we get if we remove *B.color='red'* from the WHERE clause and add a HAVING clause with this condition?
- ❖ What if we drop Sailors and the condition involving S.sid?

Find the age of the youngest sailor with age > 18, for each rating with at least 2 sailors (of any age)

```
SELECT S.rating, MIN (S.age)
FROM Sailors S
WHERE S.age > 18
GROUP BY S.rating
HAVING 1 < (SELECT COUNT (*)
FROM Sailors S2
WHERE S.rating=S2.rating)
```

- ❖ Shows HAVING clause can also contain a subquery.
- ❖ Compare this with the query where we considered only ratings with 2 sailors over 18!
- ❖ What if HAVING clause is replaced by:
 - HAVING COUNT(*) >1

Find those ratings for which the average age is the minimum over all ratings

```
❖ Aggregate operations cannot be nested! WRONG:
SELECT S.rating
FROM Sailors S
WHERE S.age = (SELECT MIN (AVG (S2.age)) FROM Sailors S2)
```

❖ Correct solution (in SQL/92):

```
SELECT Temp.rating, Temp.avgage
FROM (SELECT S.rating, AVG (S.age) AS avgage
FROM Sailors S
GROUP BY S.rating) AS Temp
WHERE Temp.avgage = (SELECT MIN (Temp.avgage)
FROM Temp)
```

Null Values

- ❖ Field values in a tuple are sometimes *unknown* (e.g., a rating has not been assigned) or *inapplicable* (e.g., no spouse's name).
 - SQL provides a special value *null* for such situations.
- ❖ The presence of *null* complicates many issues. E.g.:
 - Special operators needed to check if value is/is not *null*.
 - Is *rating*>8 true or false when *rating* is equal to *null*? What about AND, OR and NOT connectives?
 - We need a 3-valued logic (true, false and *unknown*).
 - Meaning of constructs must be defined carefully. (e.g., WHERE clause eliminates rows that don't evaluate to true.)
 - New operators (in particular, *outer joins*) possible/needed.

Embedded SQL

- ❖ SQL commands can be called from within a host language (e.g., C or COBOL) program.
 - SQL statements can refer to host variables (including special variables used to return status).
 - Must include a statement to *connect* to the right database.
- ❖ SQL relations are (multi-) sets of records, with no *a priori* bound on the number of records. No such data structure in C.
 - SQL supports a mechanism called a *cursor* to handle this.

Cursors

- ❖ Can declare a cursor on a relation or query statement (which generates a relation).
- ❖ Can *open* a cursor, and repeatedly *fetch* a tuple then *move* the cursor, until all tuples have been retrieved.
 - Can use a special clause, called ORDER BY, in queries that are accessed through a cursor, to control the order in which tuples are returned.
 - ◆ Fields in ORDER BY clause must also appear in SELECT clause.
 - The ORDER BY clause, which orders answer tuples, is *only* allowed in the context of a cursor.
- ❖ Can also modify/delete tuple pointed to by a cursor.

Cursor that gets names of sailors who've reserved a red boat, in alphabetical order

```
EXEC SQL DECLARE sinfo CURSOR FOR
SELECT S.sname
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
ORDER BY S.sname
```

- ❖ Note that it is illegal to replace *S.sname* by, say, *S.sid* in the ORDER BY clause! (Why?)
- ❖ Can we add *S.sid* to the SELECT clause and replace *S.sname* by *S.sid* in the ORDER BY clause?

Embedding SQL in C: An Example

```
char SQLSTATE[6];
EXEC SQL BEGIN DECLARE SECTION
char c_sname[20]; short c_minrating; float c_age;
EXEC SQL END DECLARE SECTION
c_minrating = random();
EXEC SQL DECLARE sinfo CURSOR FOR
SELECT S.sname, S.age FROM Sailors S
WHERE S.rating > :c_minrating
ORDER BY S.sname;
do {
EXEC SQL FETCH sinfo INTO :c_sname, :c_age;
printf("%s is %d years old\n", c_sname, c_age);
} while (SQLSTATE != '02000');
EXEC SQL CLOSE sinfo;
```

Database APIs: Alternative to embedding

Rather than modify compiler, add library with database calls (API)

- ❖ special standardized interface: procedures/objects
- ❖ passes SQL strings from language, presents result sets in a language-friendly way
- ❖ Microsoft's ODBC becoming C/C++ standard on Windows
- ❖ Sun's JDBC a Java equivalent
- ❖ Supposedly DBMS-neutral
 - a "driver" traps the calls and translates them into DBMS-specific code
 - database can be across a network

SQL API in Java (JDBC)

```

Connection con = // connect
DriverManager.getConnection(url, "login", "pass");
Statement stmt = con.createStatement(); // set up stmt
String query = "SELECT name, rating FROM Sailors";
ResultSet rs = stmt.executeQuery(query);
try { // handle exceptions
    // loop through result tuples
    while (rs.next()) {
        String s = rs.getString("name");
        Int n = rs.getFloat("rating");
        System.out.println(s + " " + n);
    }
} catch(SQLException ex) {
    System.out.println(ex.getMessage ()
        + ex.getSQLState () + ex.getErrorCode ());
}
    
```

Integrity Constraints (Review)

- ❖ An IC describes conditions that every *legal instance* of a relation must satisfy.
 - Inserts/deletes/updates that violate IC's are disallowed.
 - Can be used to ensure application semantics (e.g., *sid* is a key), or prevent inconsistencies (e.g., *sname* has to be a string, *age* must be < 200)
- ❖ Types of IC's: Domain constraints, primary key constraints, foreign key constraints, general constraints.
 - *Domain constraints*: Field values must be of right type. Always enforced.

General Constraints

- ❖ Useful when more general ICs than keys are involved.
- ❖ Can use queries to express constraint.
- ❖ Constraints can be named.

```

CREATE TABLE Sailors
(sid INTEGER,
sname CHAR(10),
rating INTEGER,
age REAL,
PRIMARY KEY (sid),
CHECK ( rating >= 1
AND rating <= 10 )

CREATE TABLE Reserves
(sname CHAR(10),
bid INTEGER,
day DATE,
PRIMARY KEY (bid,day),
CONSTRAINT noInterlakeRes
CHECK ('Interlake' <>
( SELECT B.sname
FROM Boats B
WHERE B.bid=bid)))
    
```

Constraints Over Multiple Relations

- ❖ Awkward and wrong!
- ❖ If Sailors is empty, the number of Boats tuples can be anything!
- ❖ ASSERTION is the right solution; not associated with either table.

```

CREATE TABLE Sailors
(sid INTEGER,
sname CHAR(10),
rating INTEGER,
age REAL,
PRIMARY KEY (sid),
CHECK
( (SELECT COUNT (S.sid) FROM Sailors S)
+ (SELECT COUNT (B.bid) FROM Boats B) < 100)

CREATE ASSERTION smallClub
CHECK
( (SELECT COUNT (S.sid) FROM Sailors S)
+ (SELECT COUNT (B.bid) FROM Boats B) < 100)
    
```

Number of boats
plus number of
sailors is < 100

Triggers

- ❖ Trigger: procedure that starts automatically if specified changes occur to the DBMS
- ❖ Three parts:
 - Event (activates the trigger)
 - Condition (tests whether the triggers should run)
 - Action (what happens if the trigger runs)

Triggers: Example (SQL:1999)

```

CREATE TRIGGER youngSailorUpdate
AFTER INSERT ON SAILORS
REFERENCING NEW TABLE NewSailors
FOR EACH STATEMENT
INSERT
    INTO YoungSailors(sid, name, age, rating)
    SELECT sid, name, age, rating
    FROM NewSailors N
    WHERE N.age <= 18
    
```

Summary

- ❖ SQL was an important factor in the early acceptance of the relational model; more natural than earlier, procedural query languages.
- ❖ Relationally complete; in fact, significantly more expressive power than relational algebra.
- ❖ Even queries that can be expressed in RA can often be expressed more naturally in SQL.
- ❖ Many alternative ways to write a query; optimizer should look for most efficient evaluation plan.
 - In practice, users need to be aware of how queries are optimized and evaluated for best results.

Summary (Contd.)

- ❖ NULL for unknown field values brings many complications
- ❖ Embedded SQL allows execution within a host language; cursor mechanism allows retrieval of one record at a time
- ❖ APIs such as ODBC and ODBC introduce a layer of abstraction between application and DBMS
- ❖ SQL allows specification of rich integrity constraints
- ❖ Triggers respond to changes in the database