



CS514: Intermediate Course in Computer Systems

Lecture 22: Nov 10, 2003

“Kerberos: A network authentication service”



Where are we?

CS514

- We had a good look at “perimeter defenses”
 - Firewalls
 - VPNs
- But we’ve seen nothing about insider attacks
- How do you deal with internal users that may try to abuse the system???
 - Say, a student trying to access CMS!
- Note: often there are perimeters within perimeters, but you can only go so far with this



What is Kerberos?

CS514

- A network authentication system:
- Allows users on client hosts to authenticate themselves to server hosts
 - I.e., allows a server to know that the user is who he says he is
- Assumes that users and hosts are untrusted
 - Clients and servers are physically accessible, and may have been compromised by attackers



What is Kerberos?

CS514

- Designed at MIT in the 80's
 - As part of a larger campus computing system called Athena
- Assumes that students will try to exploit the system
 - And that students are capable!
- By protecting the system from inside attackers, it also protects from outside attackers
- This (largely correct) notion that security must be pervasive drove the anti-firewall sentiment within IETF
 - In fact, firewalls and internal authentication systems are complementary technologies



What is Kerberos?

CS514

- Kerberos had a huge impact on subsequent security systems
 - For instance, Windows NT used a variant
- Kerberos is still widely used
 - Cornell's "sidecar" system uses Kerberos
- Designed as a toolkit with an API
 - Applications can use it however they please
 - Applications must be modified to use it, but then this is inevitable...



Kerberos model

CS514

- Kerberos is based on symmetric keys
 - Public keys were patent protected, and there may have been other reasons?
- The Kerberos service runs on physically protected machines
 - But all Kerberos client systems (I.e. client and server hosts) are accessible
- The Kerberos service knows (a one-way hash of) all passwords
 - Users and servers know their own passwords only



Kerberos model

CS514

- Passwords never cross the network in the clear (of course!)
- Users type in password at login time, but not subsequently
 - (I.e., they don't have to type in the password again when they access authenticated services)
- Why?
 - Convenient for the user, but . . .
 - More importantly: minimizes the number of times the password ever exists in the clear




Minimizing clear passwords

CS514

- Password is in the clear:
 - As the user types it
 - Someone looking over your shoulder may see it
 - As the computer reads it and puts it in a buffer
 - An untrusted super-user could read this memory
- Kerberos minimizes the number of times that the password itself is used
- Kerberos never puts a user password on a host disk (even temporarily), and keeps it in memory for as short a time as possible
 - And over-writes the memory afterwards

A quick aside: single host password authentication

CS514



Single host password authentication

CS514

- Secure because:
 - Path is physically secure (from keyboard to computer a few feet away)
 - And password is in the clear only briefly (a few seconds)
 - Attackers can't derive password from the one-way hash in the file
- But, the attacker can read the password file, and do a password-guessing attack
 - Guess password, hash it, matches hash in file if guess is correct
- And, attacker could spoof the login dialogue



Kerberos password authentication

CS514

- But the path from a client to the Kerberos server is not physically secure
 - So, ultimately the Kerberos server must keep a copy of (a hash of) the password!
- This is why the Kerberos servers must be physically secure...




Kerberos Ticket

CS514

- When a client wants to talk to a server, Kerberos gives both client and server a “ticket”
- The ticket does two things:
 - Authenticates the client to the server (and optionally vice versa)
 - Provides a session key that the client and server can subsequently use (if they want)

Very rough idea of Kerberos ticket (naïve version)




Problem with naïve version

- Client required storage of the user key to decrypt the (outer) ticket
- But, don't want to keep the user key on the client host
- And, don't want to have to ask the user for the password every time the user wants to access a new service

In fact, Kerberos has two types of servers...

CS514




Authentication and Ticket Granting Servers

CS514

- At login, user's client goes to the Authentication Server to get a session key that allows it to talk to the TGS
 - This is the only time the user's password is needed
- Subsequently, the TGS session key is used to get tickets to talk to servers


Getting a Ticket Granting Ticket

CS514



Using a Ticket Granting Ticket

CS514




That was authentication... what about authorization?

CS514

- Kerberos puts authorization function at the server itself
 - Idea is that it is easier to administer this information at the server
- TGS will give the client a ticket to talk to a server whether or not the client is authorized
- Server will reject ticket if client doesn't have proper authorization

What about replay attack?

CS514





What about replay attack?


CS514

- This won't work if subsequent client/server session is encrypted
 - Because eavesdropper never sees K_{cs}
- But often client/server session is not encrypted, only authenticated



Client "authenticator"

CS514





Client “authenticator”

CS514

- Client also sends an authenticator containing the client IP address and a timestamp
- The server only accepts the authenticator if from the right IP address and at the right time
 - Within a clock sync window of error, about five minutes
- To replay, attacker must replay from the same IP address within 5 minutes




Replay

CS514

- This is considered to be rather weak replay protection
- An attacker may be on the same machine as the user
 - Or may simply assign itself that IP address
- Kerberos Version 5 has an optional challenge/response

Challenge/Response

CS514



Challenge/Response


CS514

- Requires extra messages
 - And extra expensive crypto operations
- Requires temporary state stored at server
 - Though not a big deal




Password guessing attack

CS514



Password guessing attack

CS514





Password guessing attack

CS514

- Ultimately Kerberos relies on good user passwords
 - The usual thing:
 - no common words, no personal info (friends names, birthday, etc.), and no clever permutations of these
- Use of authenticated queries and Diffie-Hellman would make password guessing attack harder



Other Kerberos weaknesses

CS514

- Kerberos servers are a bottleneck
- Kerberos weak to denial of service attack
 - Take out the servers, and the whole network comes to a screeching halt!
- Use of public keys with Kerberos addresses these issues
 - Note: Kerberos originally didn't use public keys because of patent issues



Kerberos with public keys

CS514

- Replace Kerberos servers (authentication and ticket granting) with a Certificate Authority (CA)
 1. Client gets CA signed pub key of server
 2. Client sends server its cert (containing client pub key) and a random session key, signed by client priv key and encrypted by server pub key
 3. Server authenticates client, sends client a “ticket” (which can be used by Kerberos applications for backwards compatibility)