the gamedesigninitiative at cornell university

#### Lecture 7

# **Nondigital Prototypes**

# **Review:** Prototypes

- An *incomplete* model of your product
  - Implements small subset of the final features
  - Features chosen are the most important **now**
- Prototype helps you visualize **gameplay** 
  - Way for you to test a new game mechanic
  - Allows you to tune mechanic parameters
  - Can also test (some) user interfaces



# **Software Prototypes**

- Gameplay Prototype (3/1)
  - Throw-away prototype (not in final submission)
  - Does not have to be on device
  - Should demonstrate core gameplay
- Technical Prototype (3/13)
  - Evolutionary Prototype (part of final submission)
  - Should be on a device except in extreme cases
  - Should demonstrate important mobile challenge



# Next Week: Nondigital Prototype

- No software involved at all
  - Board game
  - Card game
  - Something different?




- Goal is to **model gameplay** 
  - How? Nondigital/digital is very different
  - Model will be far removed from final result
  - What can we hope to learn from this?



# **Understanding Game Progression**


- Level design about *progress* 
  - Sense of closeness to goal
  - Choice of "paths" to goal (dilemma challenge)
  - Path choice can relate to play style and/or difficult
- Easier to design if *discrete* 
  - Flow-chart out progression
  - Edges are mechanic(s)
- But game state values are continuous (sort of)






# **Discrete Progression**

- Design is discretization
  - Impose flow chart on state
  - Each box is an equivalence class of game states
- Spatial Discretization
  - Contiguous zones
  - **Example**: past a doorway
- Resource Discretization
  - Range of resource values
  - **Example**: build threshold






#### **Spatial Discretization**



at cornell university


7

#### **Spatial Discretization**





#### **Spatial Discretization**





# Nature of Discretization


- State must be unambiguous
  - Must be an accurate, precise way to determine state
  - **Example**: string to measure distance in a wargame
- Actions must be **significant** 
  - May correspond to several animation frames
  - **Example**: movement and attack in single turn
- Mechanics must have compact interactions
  - Avoid mechanics that depend on iterated interactions
  - **Example**: physics is *iterative* and hard to discretize



# **Discretization and Turns**

- Discretization requires *turns*
  - Represent a unit of action
  - When done, game "at rest"
- Turns can be **multistep** 
  - Multiple actions in a turn
  - Evironmental interactions
- Turns can alternate
  - between other players
  - with a gamemaster
  - not at all (one player?)









# **Discretization and Reaction Time**

- Allow opponent to **interrupt** 
  - Action that reacts to yours
  - Played after you act, but before action takes an effect
  - Core mechanic in *Magic:TG*
- Make play asynchronous
  - Players still have turns
  - But take turns as fast as can
  - Conflicts resolved via speed
  - Often need a referee for aid






# **Case Study:** Runaway Rails





### **Reaction Time as Hidden Information**






# What Can We Do Discretely?

#### • Evaluate emergent behavior

- Allow player to commit simultaneous actions
- Model interactions as "board elements"
- Model player cost-benefit analyses
  - Model all resources with sources and sinks
  - Focus on economic dilemma challenges
- Test player difficulty/usability
  - Ideal for puzzle games (or puzzle elements)
  - Can also evaluate unusual interfaces




# What Can We Do Discretely?






# **Evaluating Emergent Behavior**

- **Recall**: coupled, context-dependent interactions
  - Requires an action and interaction
  - Or (alternatively) multiple actions
- Model interactions as "board elements"
  - Rules to follow after your action
  - May follow several in succession
  - Examples: Chutes & Ladders, Bonkers, RoboRally





# Case Study: RoboRally



- Player "programs" robot
  - Picks 5 movement cards
  - Committed to that choice
- After each card
  - Obey board elements in order
  - Check robot collisions
- Move = board elements
  + cards + collisions






# **Cost-Benefit Analysis**

- Where nondigital prototypes really shine
  - Resources are very easy to discretize
  - Economic choices easily map to turns
  - Understanding dilemma challenges is important
- Some believe this is *all* of game design
  - Claim everything can be reduced to a resource
  - Common in board game adaptations of other media
  - **Example**: balance game with instability resource




# **Case Study: Bounce**





# Tracking Oxygen as a Resource






# Case Study: Trino





# Measuring Shapeshifting Resources





# **Usability Analysis**

#### • Unusual user-interfaces


- Recall that actions correspond to inputs
- Some inputs are not simple buttons
- Example: touch gestures, motion controls

#### • Puzzle-style games

- Create a game with module elements (e.g. cards)
- Laying out levels creates a new game level
- Allows you to quickly change and test levels




# Case Study: Angry Bunny






# **Modeling Movement Controls**






# **Case Study:** Coalide





#### **Modeling Flick Controls**





#### Case Study: Family Style




# PASS INGREDIENTS FROM PHONE TO PHONE





Mobile Prototypes


# **Modeling Multiplayer Restrictions**









# **Case Study:** Operation Bitwise






# **Configurable Protoype from Elements**






# **Case Study:** Magic Moving Mansion





# **Configurable Puzzles at Scale**





# **Experiential Prototypes**

- Some prototypes do not test gameplay
  - They test an experience or feeling
  - You determine if the feeling is enjoyable
  - Then go back and design gameplay for that
- Be very *careful* with this!
  - A very advanced design technique
  - Can easily end up with worthless prototype
  - Have only seen a few successes at this



# Case Study: Gathering Sky






#### **Feel of Movement Controls**





## The Experience of Threat





# Most Important Thing: Progression

- Do not want a **one-level** game
  - Major problem with "flick" games in this course
  - Endless runners also have this problem
- We want some evidence of a **progression** 
  - What is an easy level?
  - What is a medium level?
  - What is a hard level?
- Your prototype should be *reconfigurable*



Easy





## **Medium**





#### Hard





## The Difficulty Curve




Easy

#### Medium

Hard




## **Case Study:** *Iridescence*







## Easy: Iridescence






#### Medium: Iridescence









#### Hard: Iridescence








## Case Study: Project Apollo





## Prototype is a Puzzle Sandbox






# **Reflecting on What You Have Learned**

- Your prototype should teach you *something* 
  - About one of the things covered today
  - Even if it is "this design will not work"
- You will be asked about this at **presentation** 
  - Must be prepared to answer
  - Write-up as part of submission
- Lesson matters more than physical artifact
  - You are not going to sell this prototype



## **Case Study: Flourish**





# **Case Study: Flourish**

Our game seemed unclear at the beginning for some players because [they had to conceptually] balance growth above ground and below ground.

In general, we learned about the **specificity we need for different rules that we had thought needed less explanation.** 

