

## 1 The Mathematics of Monads

*Monads* are a general mechanism for extending functional languages with new features. They were introduced in the context of functional programming by Eugenio Moggi [Mog91] and are by now regarded as a central tool of the functional language Haskell. There are literally dozens of tutorials available on the use of monads in Haskell. A reasonably good one is the introduction by Philip Wadler [Wad92].

The concept of monad goes much further back, however. They were introduced by Roger Godement in the context of category theory as far back as 1958. The name *monad* was coined by Saunders MacLane [Mac71]. Monads are strongly related to *adjunctions*, one of the most ubiquitous and useful concepts of category theory.

In this lecture we will not duplicate the content of these tutorials (the Wadler and Moggi papers are provided as handouts). Instead we will focus on the categorical foundations of monads and give several examples in the hope that this will aid in understanding the concept as it is used in functional programming.

## 2 Categories

A *category* consists of

- A collection of *objects*  $A, B, \dots$ . These are often sets with some extra structure, such as groups or topological spaces, but abstractly they are just nodes of a directed graph. Think of them as types.
- A collection of typed *morphisms*  $f : A \rightarrow B$  for each pair of objects  $A, B$ . The objects  $A$  and  $B$  are called the *domain* and *codomain* of  $f$ , respectively. Morphisms are typically a structure-preserving functions from  $A$  to  $B$ , but abstractly they are just a directed edges in a graph.
- A typed *composition operator*  $\circ$  such that if  $f : A \rightarrow B$  and  $g : B \rightarrow C$ , then  $g \circ f : A \rightarrow C$ . Composition is associative.
- An identity morphism  $\text{id}_A : A \rightarrow A$  for each object  $A$ . The identity morphisms are both left and right identities for composition.

Examples of categories are: Sets and set functions (**Set**), groups and group homomorphisms, topological spaces and continuous maps, partially ordered sets and monotone maps, CPOs and continuous functions (CPO), vector spaces over  $\mathbb{R}$  and linear maps. A partially ordered set  $(X, \leq)$  forms a category whose objects are the elements of  $X$  with a unique morphism  $x \rightarrow y$  iff  $x \leq y$ . Abstractly, a category is just a typed monoid.

## 3 Functors

A structure-preserving map between categories is called a *functor*. If  $\mathcal{C}$  and  $\mathcal{D}$  are categories, a functor  $F : \mathcal{C} \rightarrow \mathcal{D}$  maps objects  $A \in \mathcal{C}$  to objects  $FA \in \mathcal{D}$  and morphisms  $f : A \rightarrow B$  of  $\mathcal{C}$  to morphisms  $Ff : FA \rightarrow FB$  of  $\mathcal{D}$  such that  $F(g \circ f) = Fg \circ Ff$  and  $F(\text{id}_A) = \text{id}_{FA}$ . Functors are morphisms of categories, and one can form categories of categories (although one must take care to avoid set-theoretic paradoxes!).

Monads are based on *endofunctors*, which are functors from a category to itself. In most of our examples, the category is **Set**. Some examples are:

- The *powerset functor*  $P : \mathbf{Set} \rightarrow \mathbf{Set}$ . Here  $PA = \{\text{subsets of } A\}$  and if  $f : A \rightarrow B$ , then  $Pf : PA \rightarrow PB$  takes  $A' \subseteq A$  to  $\{f(a) \mid a \in A'\} \subseteq B$ .
- The *term functor*  $T_\Sigma : \mathbf{Set} \rightarrow \mathbf{Set}$  over a given signature  $\Sigma$ . Here  $\Sigma$  consists of various function symbols of various finite arities (for example,  $\Sigma = \{f, g, c\}$  with  $f$  binary,  $g$  unary, and  $c$  a constant). The set of *terms* over variables  $X$ , denoted  $T_\Sigma(X)$ , is defined inductively; in our example,  $c$  is a term and any  $x \in X$  is a term; if  $t$  is a term, then  $g(t)$  is a term; and if  $s, t$  are terms, then  $f(s, t)$  is a term. The functor  $T_\Sigma$  takes  $X$  to  $T_\Sigma(X)$  and  $f : X \rightarrow Y$  to  $T_\Sigma(f) = \lambda t. t\{f(x)/x, x \in X\} : T_\Sigma(X) \rightarrow T_\Sigma(Y)$ .
- The *option functor*  $Opt : \mathbf{Set} \rightarrow \mathbf{Set}$ . Here  $Opt X = \{\text{Some } x \mid x \in X\} \cup \{\text{None}\}$ , and if  $f : X \rightarrow Y$ , then  $Opt f$  maps  $\text{Some } x$  to  $\text{Some } f(x)$  and  $\text{None}$  to  $\text{None}$ . This is exactly `Option.map f` in SML.
- The *lifting functor*  $L : \mathbf{CPO} \rightarrow \mathbf{CPO}$ . Here  $L\mathcal{D} = \mathcal{D}_\perp$ , and if  $f : \mathcal{D} \rightarrow \mathcal{E}$  is a continuous map, then  $Lf : \mathcal{D}_\perp \rightarrow \mathcal{E}_\perp$ , where  $Lf(\lfloor x \rfloor) = \lfloor f(x) \rfloor$  and  $Lf(\perp) = \perp$ .
- If  $(X, \leq)$  and  $(Y, \leq)$  are partially ordered sets regarded as categories, then a functor  $X \rightarrow Y$  is just a monotone function.

## 4 Monads

Each of these endofunctors gives rise to a monad in a natural way. A *monad* is a triple  $(F, \eta, \mu)$  where

- $F : \mathcal{C} \rightarrow \mathcal{C}$  is an endofunctor on  $\mathcal{C}$  (in most examples,  $\mathcal{C} = \mathbf{Set}$ );
- $\eta$  is a collection of morphisms  $\eta_A : A \rightarrow FA$ , one for each object  $A$ ; and
- $\mu$  is a collection of morphisms  $\mu_A : F^2A \rightarrow FA$ , one for each object  $A$ .


We think of a monad as a mechanism for introducing new structure  $FA$  on an existing object  $A$ , as described by the endofunctor. The morphisms  $\eta_A$  and  $\mu_A$  describe how morphisms are extended to handle the new structure.

There are a few axioms that  $\eta$  and  $\mu$  must satisfy, but we will get to these later. First some examples.

### 4.1 The Powerset Monad

The *powerset monad* consists of the powerset functor  $P$  and morphisms  $\eta_A(a) = \{a\}$  for  $a \in A$  and  $\mu_A(C) = \bigcup C$  for  $C \in P^2A$ . This is useful for modeling nondeterministic computation. A *nondeterministic function* from  $A$  to  $B$  is a function  $f : A \rightarrow PB$ , where  $f(x) \subseteq B$  is the set of possible output values on input  $x$ .

Suppose we have two nondeterministic functions  $f : A \rightarrow PB$  and  $g : B \rightarrow PC$  and we wish to compose them. Intuitively, we would start from some  $x \in A$ , then compute  $f(x)$ . The output state could be any state in the set  $f(x) \subseteq B$ . Now from any one of those states  $y \in f(x)$ , we compute  $g(y)$  to get a set of possible output states in  $C$ . The set of states we could be in after both steps is any state in some  $g(y)$  for some  $y \in f(x)$ . This is the set  $\bigcup\{g(y) \mid y \in f(x)\}$ .



Breaking this down, we see that we first computed  $f(x) \in PB$ , then computed  $Pg(f(x)) = \{g(y) \mid y \in f(x)\} \in P^2C$ , then took the union to get the final set of output states  $\bigcup\{g(y) \mid y \in f(x)\}$ .

$$x \xrightarrow{f} f(x) \xrightarrow{Pg} \{g(y) \mid y \in f(x)\} \xrightarrow{\mu_C} \bigcup\{g(y) \mid y \in f(x)\}.$$

So the composition is given by  $\mu_C \circ Pg \circ f : A \rightarrow PC$ . This is known as the *Kleisli composition* of  $f$  and  $g$ , denoted  $g \bullet f$ . Do  $f$  first to get a set; then do  $Pg$  to the resulting set, which is the same as doing  $g$  to each element of the set, to get a set of sets; then knock it back down to just a set by taking the union.

We have not stated the axioms for  $\eta$  and  $\mu$ ; but they will imply that Kleisli composition is associative and that  $\eta$  is a left and right identity. Thus the collection of objects of  $\mathcal{C}$  with morphisms  $f : A \rightarrow PB$  under Kleisli composition and identities  $\eta_A$  form a category, called the *Kleisli category* of the monad. (Note that the codomain of  $f : A \rightarrow PB$  is  $PB$  in  $\mathbf{Set}$ , but  $B$  in the Kleisli category.)

The action of a nondeterministic finite automaton is easily described in terms of Kleisli composition. Say we have an NFA with state set  $Q$ . The transition function is typically given by a function  $\Delta : Q \times \Sigma \rightarrow PQ$ , which is then extended by induction to  $\widehat{\Delta} : Q \times \Sigma^* \rightarrow PQ$  as follows:

$$\widehat{\Delta}(q, \varepsilon) \triangleq \{q\} \qquad \widehat{\Delta}(q, xa) \triangleq \bigcup\{\Delta(p, a) \mid p \in \widehat{\Delta}(q, x)\}.$$

However, if we curry  $\Delta$  and  $\widehat{\Delta}$  to the form  $\Delta : \Sigma \rightarrow Q \rightarrow PQ$  and  $\widehat{\Delta} : \Sigma^* \rightarrow Q \rightarrow PQ$  respectively, we can just say that  $\widehat{\Delta}$  is the unique monoid homomorphism from the free monoid  $\Sigma^*$  to the monoid of functions  $Q \rightarrow PQ$  under Kleisli composition extending  $\Delta$ .

The Kleisli category of the powerset monad is isomorphic to the category of  $\mathbf{Rel}$  of sets and binary relations under relational composition.

## 4.2 The Term Monad

The *term monad* consists of the term functor  $T_\Sigma : \mathbf{Set} \rightarrow \mathbf{Set}$  with  $\eta_X : X \rightarrow T_\Sigma(X)$  that takes the variable  $x$  to the term  $x$  and  $\mu_X : T_\Sigma(T_\Sigma(X)) \rightarrow T_\Sigma(X)$  that takes a term over terms over  $X$  and just considers it a term over  $X$ . Neither  $\eta_X$  nor  $\mu_X$  actually does anything to the term, they just change its type.

## 4.3 The Option Monad

The *option monad* consists of the option functor  $Opt : \mathbf{Set} \rightarrow \mathbf{Set}$  with  $\eta_X(x) = \text{Some } x$ ,  $\mu_X(\text{Some } \text{Some } x) = \text{Some } x$ , and  $\mu_X(\text{Some } \text{None}) = \mu_X(\text{None}) = \text{None}$ . Kleisli composition in this monad can be implemented in OCaml as follows:


```
let compose (f : 'a -> 'b option) (g : 'b -> 'c option) : 'a -> 'c option =
  fun (z : 'a) -> match f z with
    | Some x -> g x
    | None -> None
```

## 4.4 Closure Operators

Let  $(X, \leq)$  be a partially ordered set regarded as a category. The monads on  $X$  are just the *closure operators*: functions  $\text{cl} : X \rightarrow X$  such that (i)  $x \leq \text{cl } x$ , (ii)  $x \leq y \Rightarrow \text{cl } x \leq \text{cl } y$ , and (iii)  $\text{cl } \text{cl } x = \text{cl } x$ .

## 5 Lifting

If  $(F, \eta, \mu)$  is a monad, then a morphism  $f : A \rightarrow FB$  of the Kleisli category can be lifted to  $\hat{f} : FA \rightarrow FB$  by:  $\hat{f} \triangleq \mu_B \circ Ff$ .



The lifting operation  $f \mapsto \hat{f}$  is invertible, as  $f$  can be recovered from  $\hat{f}$  by composing it on the right with  $\eta_A$ . Thus the Kleisli category with Kleisli composition is isomorphic to the category with the same objects and lifted morphisms under ordinary composition.

In the example involving nondeterministic finite automata above, lifting is just the subset construction that constructs an equivalent deterministic automaton. For the term monad, it constructs a substitution operator on terms from a given substitution. Strange to think that two fundamental operations in vastly different areas turn out to be the same thing at this level of abstraction.

## 6 Monads in Functional Programming

In functional programs, monads are represented by

- a parameterized type constructor `'a m`, playing the role of the endofunctor;
- a polymorphic function `return : 'a -> 'a m`, playing the role of  $\eta$ ; and
- a polymorphic function `bind : 'a m -> ('a -> 'b m) -> 'b m`, serving the same purpose as  $\mu$ . The function `bind` is denoted `>>=` in Haskell and is used as an infix operator.

Recurrying `bind` to switch the order of its arguments, its type becomes `('a -> 'b m) -> 'a m -> 'b m`. We see then that it just maps a function of type `'a -> 'b m` to its lifted form. Then  $\mu$  can be obtained from `bind` by setting `'a = 'b m` and applying it to the identity function on `'b m`:

```
let mu (x : 'b m m) : 'b m = bind x (fun y -> y)
```

Similarly, `bind` can be recovered from `mu`, but this computation depends on the definition of `m`. In particular, we need a `map` function for `m` of type `('a -> 'b) -> 'a m -> 'b m`. Category theoretically, this corresponds to the action of the functor `m` on morphisms. Then if we had `mu`, we could define

```
let bind (x : 'a m) (g : 'a -> 'b m) : 'b m = mu (map g x)
```

## 6.1 Example: Encoding Substitution

Let us use the term monad over the signature  $\Sigma = \{f, g, c\}$  to encode substitution.

```
(* the type of terms over signature f, g, c with variables 'a *)
type 'a term = Var of 'a | F of ('a term) * ('a term) | G of ('a term) | C

(* the term monad *)
let rec bind (t : 'a term) (g : 'a -> 'b term) : 'b term =
  match t with
  | Var x -> g x
  | F (t1, t2) -> F (bind t1 g, bind t2 g)
  | G t1 -> G (bind t1 g)
  | C -> C

let return (x : 'a) : 'a term = Var x

(* lifting is just applying a substitution *)
let lift (g : 'a -> 'b term) (x : 'a term) : 'b term = bind x g

(* let's try it -- here is a substitution... *)
let s = function
  | 1 -> F (G (Var "y"), C)
  | 2 -> G (F (Var "y", Var "x"))
  | _ -> failwith "Unknown variable"

(* ...and a term to substitute into *)
let t = F (F (Var 1, C), G (Var 2))

# #load "monad.cmo";;
# open Monad;;
# lift s t;;
- : string Monad.term =
F (F (F (G (Var "y"), C), C), G (G (F (Var "y", Var "x"))))
```

Monads allow the programmer to encapsulate a strategy for composing computations involving some extended functionality. For example, the option monad allows the programmer to say uniformly how to compose functions that may not return values.

## 7 Axioms for Monads

Monads must satisfy the following axioms. First,  $\eta$  and  $\mu$  must be *natural transformations*, which means they must behave the same way on all objects. Formally, this means that they must commute with morphisms of the category. So the following diagrams must commute:

$$\begin{array}{ccc} A & \xrightarrow{h} & B \\ \eta_A \downarrow & & \downarrow \eta_B \\ FA & \xrightarrow{Fh} & FB \end{array} \qquad \begin{array}{ccc} F^2A & \xrightarrow{F^2h} & F^2B \\ \mu_A \downarrow & & \downarrow \mu_B \\ FA & \xrightarrow{Fh} & FB \end{array}$$

In addition,  $\eta$  and  $\mu$  must satisfy commutative diagrams that essentially say that Kleisli composition is associative and the  $\eta_A$  are left and right identities:

$$\begin{array}{ccc}
 \begin{array}{ccc}
 F^3 A & \xrightarrow{\mu_{FA}} & F^2 A \\
 F\mu_A \downarrow & & \downarrow \mu_A \\
 F^2 A & \xrightarrow{\mu_A} & FA
 \end{array} &
 \begin{array}{ccc}
 FA & & \\
 \eta_{FA} \downarrow & \searrow \text{id}_{FA} = F \text{id}_A & \\
 F^2 A & \xrightarrow{\mu_A} & FA
 \end{array} &
 \begin{array}{ccc}
 FA & \xrightarrow{F\eta_A} & F^2 A \\
 \text{id}_{FA} = F \text{id}_A \searrow & & \downarrow \mu_A \\
 & & FA
 \end{array}
 \end{array}$$

## References

- [Mac71] Saunders MacLane. *Categories for the Working Mathematician*. Springer-Verlag, New York, 1971. Graduate Texts in Mathematics, Vol. 5.
- [Mog91] Eugenio Moggi. Notions of computation and monads. *Information and Computation*, 93(1), 1991.
- [Wad92] Philip Wadler. Monads for functional programming. In M. Broy, editor, *Marktoberdorf Summer School on Program Design Calculi*, volume 118 of *NATO ASI Series F: Computer and systems sciences*. Springer Verlag, August 1992.